

Article number	Brand	Criteria	OE numbers	Comparable numbers
Drive Shaft				
30-1097	TrakMotive	Length [mm]	636	
		Outer gearing wheel side	30	
		Outer teething differential side	27	
		Seal Diameter [mm]	64.8	
		Wheel-side joint diameter [mm]	86	BMW 31607545125
		Transmission-side joint diameter [mm]	81.5	BMW 31607553945
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1098	TrakMotive	Length [mm]	1,018	
		Outer gearing wheel side	30	
		Outer teething differential side	27	
		Seal Diameter [mm]	64.8	
		Wheel-side joint diameter [mm]	86	BMW 31607545126
		Transmission-side joint diameter [mm]	81.5	BMW 31607553946
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1100	TrakMotive	Length [mm]	435	
		Length 2 [mm]	459	
		Wheel-side joint diameter [mm]	120	
		Transmission-side joint diameter [mm]	128	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1121	TrakMotive	Length [mm]	639	HONDA 391012F001
		Outer gearing wheel side	27	
		Outer teething differential side	25	
		Seal Diameter [mm]	56	
		Number of Teeth, ABS ring	44	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1122	TrakMotive	Length [mm]	828	FIAT 46308261 FIAT 46308218 FIAT 46308221
		Outer gearing wheel side	25	
		Outer teething differential side	22	
		Seal Diameter [mm]	51	
		Wheel-side joint diameter [mm]	80	
		Transmission-side joint diameter [mm]	74.2	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1123	TrakMotive	Length [mm]	609	FIAT 46307674
		Outer gearing wheel side	25	
		Outer teething differential side	24	
		Seal Diameter [mm]	51	
		Wheel-side joint diameter [mm]	84.3	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1124	TrakMotive	Length [mm]	927	FIAT 46307678
		Outer gearing wheel side	25	
		Outer teething differential side	24	
		Seal Diameter [mm]	51	
		Wheel-side joint diameter [mm]	84.3	
		Transmission-side joint diameter [mm]	79	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1125	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	592	
		Outer gearing wheel side	25	
		Outer teething differential side	22	
		Seal Diameter [mm]	50.5	FIAT 46308262
		Wheel-side joint diameter [mm]	79	FIAT 46308275
		Transmission-side joint diameter [mm]	74.2	FIAT 46307994
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1126	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	601	
		Outer gearing wheel side	30	
		Outer teething differential side	25	
		Seal Diameter [mm]	54	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1127	TrakMotive	Length [mm]	623	
		Outer gearing wheel side	25	
		Outer teething differential side	24	
		Seal Diameter [mm]	51.05	FIAT 55700561
		Wheel-side joint diameter [mm]	79	FIAT 51827230
		Transmission-side joint diameter [mm]	81.5	FIAT 46308345
		Packing unit	1	FIAT 51808106
		Quantity per packing unit	1	
Status	Normal			
30-1128	TrakMotive	Length [mm]	610	
		Outer gearing wheel side	30	
		Outer teething differential side	28	
		Seal Diameter [mm]	73	
		Number of Teeth, ABS ring	52	HYUNDAI 495002B510
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	81.5	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1129	TrakMotive	Length [mm]	668	HYUNDAI 495002B160
		Outer gearing wheel side	30	
		Outer teething differential side	27	
		Seal Diameter [mm]	73	
		Number of Teeth, ABS ring	52	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	81	
		Status	Normal	
30-1130	TrakMotive	Length [mm]	874	
		Outer gearing wheel side	24	
		Outer teething differential side	25	
		Seal Diameter [mm]	52.5	
		Wheel-side joint diameter [mm]	75	
		Transmission-side joint diameter [mm]	74.2	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1131	TrakMotive	Length [mm]	596	
		Outer gearing wheel side	24	
		Outer teething differential side	25	
		Seal Diameter [mm]	52.5	
		Wheel-side joint diameter [mm]	75	
		Transmission-side joint diameter [mm]	74.2	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1132	TrakMotive	Length [mm]	523	FIAT 40608080 FIAT 46308080 LANCIA 40608080 LANCIA 46308080
		Outer gearing wheel side	25	
		Seal Diameter [mm]	50.5	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	100	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1133	TrakMotive	Length [mm]	592	
		Outer gearing wheel side	25	
		Outer teething differential side	24	
		Seal Diameter [mm]	51	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1135	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	639	
		Outer gearing wheel side	38	
		Outer teething differential side	37	VAG 7E0 407 271 L
		Seal Diameter [mm]	63	VAG 7E0 407 451 AX
		Wheel-side joint diameter [mm]	105	VAG 7E0407271L
		Transmission-side joint diameter [mm]	81.5	VAG 7E0407271P
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1138	TrakMotive			FORD 1712273
				FORD 1686193
				FORD 1828480
				FORD AV613B436CB
				FORD BV613B436CB
				FORD AV613B436CC
				FORD AV613B436JA
		Length [mm]	970	FORD 1713000
		Outer gearing wheel side	27	FORD 1756525
		Outer teething differential side	26	FORD AV613B436CD
		Seal Diameter [mm]	62.8	FORD AV613B436JB
		Wheel-side joint diameter [mm]	86	FORD 1840120
		Transmission-side joint diameter [mm]	81.5	FORD 2006987
Packing unit	1	FORD 2006992		
Quantity per packing unit	1	FORD 1686588		
Status	Normal	FORD F1F63B436GA		
		FORD F1F63B436HA		
		FORD RMAV613B436C2D		
		FORD RMAV613B436J2B		
		FORD 2006991		
		FORD F1F63B436JA		
		FORD 1828481		
		FORD 1840104		
30-1139	TrakMotive	Length [mm]	702	NISSAN 3910100Q2E
		Outer gearing wheel side	28	OPEL 4417083
		Outer teething differential side	39	OPEL 4421271
		Seal Diameter [mm]	64	OPEL 93189873
		Number of Teeth, ABS ring	51	OPEL 95507091
		Length 2 [mm]	752	RENAULT 8201187929
		Wheel-side joint diameter [mm]	98	RENAULT 8200776522
		Transmission-side joint diameter [mm]	89	RENAULT 8200776533
		Packing unit	1	RENAULT TRUCKS 8200414939
		Quantity per packing unit	1	VAUXHALL 93189873
		Status	Normal	VAUXHALL 95507091

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1141	TrakMotive	Length [mm]	945.5	FORD 1437705	
		Outer gearing wheel side	40	FORD 1460786	
		Outer teething differential side	26	FORD 1460803	
		Seal Diameter [mm]	56	FORD 1788201	
		Wheel-side joint diameter [mm]	91	FORD 6G913B436EB	
		Transmission-side joint diameter [mm]	89	FORD 6G913B436FC	
		Packing unit	1	FORD 1460805	
		Quantity per packing unit	1	FORD 1424194	
		Status	Normal	FORD 1431395	FORD 1437735
30-1142	TrakMotive	Length [mm]	940		
		Outer gearing wheel side	30		
		Outer teething differential side	26		
		Seal Diameter [mm]	56.2		
		Wheel-side joint diameter [mm]	86	NISSAN 39100JD02B	
		Transmission-side joint diameter [mm]	76	NISSAN 39100BB02B	
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		
30-1143	TrakMotive			CITROËN (DF-PSA)	3273PP
				CITROËN (DF-PSA)	3273PQ
				CITROËN (DF-PSA)	3273PJ
		Outer gearing wheel side	35	CITROËN (DF-PSA)	3273PK
		Outer teething differential side	41	CITROËN (DF-PSA)	71791002
		Seal Diameter [mm]	71.5	CITROËN (DF-PSA)	1608506480
		Length 2 [mm]	1,187.5	CITROËN (DF-PSA)	
		Wheel-side joint diameter [mm]	98	FIAT	1349785080
		Transmission-side joint diameter [mm]	99	FIAT	1369960080
		Packing unit	1	FIAT	71791003
		Quantity per packing unit	1	FIAT	1349786080
		Status	Normal	FIAT	71791000
				FIAT	71724579
				FIAT	71791002
				PEUGEOT	1608505580
				PEUGEOT	3273PQ
		PEUGEOT	1608506480		
		PEUGEOT	71791002		

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1144	TrakMotive	Length [mm]	1,092.5	FORD 8C114B436AD	
		Outer gearing wheel side	28	FORD RMCC113B436B1A	
		Outer teething differential side	41	FORD 1782563	
		Seal Diameter [mm]	59	FORD 1469165	
		Number of Teeth, ABS ring	48	FORD 1512911	
		Wheel-side joint diameter [mm]	98	FORD 8C113B436AD	
		Transmission-side joint diameter [mm]	99	FORD 1782555	
		Packing unit	1	FORD 1841536	
		Quantity per packing unit	1	FORD 1727121	
		Status	Normal	FORD 1793821	
30-1145	TrakMotive	Length [mm]	773		
		Outer gearing wheel side	30		
		Outer teething differential side	29	TESLA 103061500A	
		Seal Diameter [mm]	63	TESLA 103061500B	
		Wheel-side joint diameter [mm]	91	TESLA 103061500D	
		Transmission-side joint diameter [mm]	89	TESLA 1030615-00-B	
		Packing unit	1	TESLA 1030615-00-D	
		Quantity per packing unit	1		
		Status	Normal		
30-1146	TrakMotive	Length [mm]	715		
		Outer gearing wheel side	30		
		Outer teething differential side	27	TESLA 103061600A	
		Seal Diameter [mm]	63	TESLA 103061600B	
		Wheel-side joint diameter [mm]	91	TESLA 103061600D	
		Transmission-side joint diameter [mm]	89	TESLA 1030616-00-B	
		Packing unit	1	TESLA 1030616-00-D	
		Quantity per packing unit	1		
		Status	Normal		
30-1147	TrakMotive	Length [mm]	867		
		Outer gearing wheel side	30		
		Outer teething differential side	29		
		Seal Diameter [mm]	63		
		Wheel-side joint diameter [mm]	91	TESLA 1007719-01-B	
		Transmission-side joint diameter [mm]	89		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1153	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	925	
		Outer gearing wheel side	25	
		Outer teething differential side	25	
		Seal Diameter [mm]	52.5	HYUNDAI 495001G141
		Number of Teeth, ABS ring	48	KIA 495001G151
		Wheel-side joint diameter [mm]	70	KIA 495001G150
		Transmission-side joint diameter [mm]	67.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1155	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	651	
		Outer gearing wheel side	25	
		Outer teething differential side	25	
		Seal Diameter [mm]	55	
		Number of Teeth, ABS ring	48	HYUNDAI 495001R000
		Wheel-side joint diameter [mm]	79	
		Transmission-side joint diameter [mm]	79	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1156	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	639	
		Outer gearing wheel side	25	
		Outer teething differential side	25	
		Seal Diameter [mm]	52.5	KIA 495001G001
		Number of Teeth, ABS ring	48	KIA 495001G010
		Wheel-side joint diameter [mm]	70	KIA 495001G011
		Transmission-side joint diameter [mm]	67.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1184	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	542	
		Outer gearing wheel side	26	
		Seal Diameter [mm]	48	SUZUKI 44102-67D00
		Flange Ø [mm]	127	SUZUKI 44102-77E02
		Wheel-side joint diameter [mm]	79	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1196	TrakMotive	Fitting Position	Front Axle Left	
		Fitting Position	Front Axle Right	SUBARU 28321SC032
		Length [mm]	793	SUBARU 28321AJ030
		Outer gearing wheel side	27	SUBARU 28321AJ033
		Outer teething differential side	25	SUBARU 28321SC031
		Seal Diameter [mm]	52	SUBARU 28321SC030
		Wheel-side joint diameter [mm]	79	SUBARU 28321AJ002
		Transmission-side joint diameter [mm]	74.2	SUBARU 28321AJ001
		Packing unit	1	SUBARU 28321AJ000
		Quantity per packing unit	1	SUBARU 28321AJ032
		Status	Normal	
30-1199	TrakMotive	Length [mm]	744.5	
		Outer gearing wheel side	20	
		Wheel-side joint diameter [mm]	70	AUDI 8Z0 407 272 AL
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1212	TrakMotive	Outer gearing wheel side	21	
		Outer teething differential side	22	
		Seal Diameter [mm]	48.7	CITROËN 3273.7F
		Length 2 [mm]	840	CITROËN 3273.7G
		Wheel-side joint diameter [mm]	79	PEUGEOT 32737F
		Transmission-side joint diameter [mm]	62	PEUGEOT 32737G
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1215	TrakMotive	Outer gearing wheel side	21		
		Outer teething differential side	22	CITROËN	3273.X8
		Seal Diameter [mm]	57	PEUGEOT	32735P
		Length 2 [mm]	875	PEUGEOT	327385
		Wheel-side joint diameter [mm]	79	PEUGEOT	3273X8
		Transmission-side joint diameter [mm]	67.5	PEUGEOT	3273.5P
		Packing unit	1	PEUGEOT	3273.85
		Quantity per packing unit	1		
		Status	Normal		
30-1216	TrakMotive			CITROËN	3273.QH
				CITROËN	3273.QJ
				CITROËN	3273.VP
				CITROËN (DF-PSA)	3273AC
				CITROËN (DF-PSA)	3273AE
		Outer gearing wheel side	25	CITROËN (DF-PSA)	3273LP
		Outer teething differential side	24	CITROËN	3273QH
		Seal Diameter [mm]	58.4	(DF-PSA)	
		Length 2 [mm]	955	CITROËN	3273QJ
		Wheel-side joint diameter [mm]	86	(DF-PSA)	
		Transmission-side joint diameter [mm]	84	CITROËN	3273VP
		Packing unit	1	(DF-PSA)	
		Quantity per packing unit	1	CITROËN (DF-PSA)	9812781280
		Status	Normal	PEUGEOT	9812781280
				PEUGEOT	3273.AC
		PEUGEOT	3273.AE		
		PEUGEOT	3273.LP		
		PEUGEOT	3273AC		
		PEUGEOT	3273AE		
		PEUGEOT	3273LP		
		PEUGEOT	9660782880		
30-1217	TrakMotive			PEUGEOT	32724Q
		Outer gearing wheel side	21	PEUGEOT	3272T8
		Outer teething differential side	22	PEUGEOT	3272X6
		Seal Diameter [mm]	57	PEUGEOT	3272X8
		Length 2 [mm]	647	PEUGEOT	3272.4Q
		Wheel-side joint diameter [mm]	79	PEUGEOT	3272.5Q
		Transmission-side joint diameter [mm]	67.5	PEUGEOT	3272.R9
		Packing unit	1	PEUGEOT	3272.T8
		Quantity per packing unit	1	PEUGEOT	3272.X6
Status	Normal	PEUGEOT	3272.X8		
		PEUGEOT	32725Q		
		PEUGEOT	3272R9		

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1218	TrakMotive	Fitting Position	Axle Position 1	DACIA 39 10 012 51R	
		Outer gearing wheel side	21	DACIA 60 01 548 103	
		Outer teething differential side	23	DACIA 77 11 497 475	
		Seal Diameter [mm]	49	DACIA 77 11 497 478	
		Length 2 [mm]	792	DACIA 82 00 985 007	
		Wheel-side joint diameter [mm]	75.5	DACIA 82 01 045 819	
		Transmission-side joint diameter [mm]	67.5	DACIA 8200484373	
		Packing unit	1	DACIA 39 10 026 15R	
		Quantity per packing unit	1	DACIA 39 10 089 30R	
		Status	Normal	DACIA 39 10 092 30R	
					DACIA 60 01 547 029
30-1219	TrakMotive			DACIA 391010446R	
				DACIA 7711497477	
				DACIA 391016391R	
				DACIA 391016594R	
				DACIA 391016826R	
				DACIA 391018299R	
		Length [mm]	679	DACIA 391018830R	
		Outer gearing wheel side	21	DACIA 6001547028	
		Seal Diameter [mm]	49	DACIA 6001548102	
		Wheel-side joint diameter [mm]	75.5	DACIA 7711497474	
		Packing unit	1	RENAULT 391016391R	
		Quantity per packing unit	1	RENAULT 391016826R	
		Status	Normal	RENAULT 391018299R	
				RENAULT 6001548102	
		RENAULT 7711497477			
		RENAULT 8200272322			
		RENAULT 8200444438			
		RENAULT 8200941856			
		RENAULT 8200985010			

Article number	Brand	Criteria	OE numbers	Comparable numbers				
30-1223	TrakMotive		AUDI	6Q0407272AN				
			AUDI	6Q0407272AP				
			AUDI	6Q0407272BE				
			AUDI	6Q0407272DR				
			AUDI	6Q0407452EX				
			AUDI	6Q0407452FX				
			AUDI	6Q0407452GX				
			AUDI	6Q0407452PX				
			SEAT	6Q0407272BD				
			SEAT	6Q0407272AQ				
			SEAT	6Q0407272BC				
			SEAT	6Q0407272BE				
			SEAT	6Q0407272DR				
			SEAT	6Q0407452EX				
			SEAT	6Q0407452FX				
			SEAT	6Q0407452GX				
			SEAT	6Q0407452PX				
			SEAT	6Q0407452QX				
				Length [mm]	753.5	SEAT	6R0407764J	
				Outer gearing wheel side	36	SKODA	6Q0407272AQ	
				Wheel-side joint diameter [mm]	83	SKODA	6Q0407452GX	
				Transmission-side joint diameter [mm]	94	SKODA	6Q0407272BC	
				Packing unit	1	SKODA	6Q0407272BD	
	Quantity per packing unit	1	SKODA	6Q0407272BE				
	Status	Normal	SKODA	6Q0407272BH				
			SKODA	6Q0407272DR				
			SKODA	6Q0407452DX				
			SKODA	6Q0407452EX				
			SKODA	6Q0407452FX				
			VW	6Q0407272AQ				
			VW	6Q0407452GX				
			VW	6Q0407452AX				
			VW	JZW407272HX				
			VW	6QE407272P				
			VW	6Q0407272BC				
			VW	6Q0407272BD				
			VW	6Q0407272BE				
			VW	6Q0407272BH				
			VW	6Q0407272DM				
			VW	6Q0407272DR				
			VW	6Q0407452EX				
			VW	6Q0407452FX				

Article number	Brand	Criteria		OE numbers	Comparable numbers		
30-1226	TrakMotive			CITROËN	3272.6W		
				CITROËN	3272.7S		
				CITROËN	3272.7W		
				CITROËN	3272.8S		
				CITROËN	3272.A9		
				CITROËN	3272.C3		
				CITROËN	3272.FP		
				CITROËN	3272.Z7		
				CITROËN	3272.9L		
				CITROËN (DF-PSA)	32726W		
				Outer gearing wheel side	25	CITROËN (DF-PSA)	32727S
				Outer teething differential side	24	CITROËN (DF-PSA)	32727W
				Seal Diameter [mm]	58.4	CITROËN (DF-PSA)	32728S
				Number of Teeth, ABS ring	29	CITROËN (DF-PSA)	3272A9
				Length 2 [mm]	622	CITROËN (DF-PSA)	3272A9
				Wheel-side joint diameter [mm]	86	CITROËN (DF-PSA)	3272C3
				Transmission-side joint diameter [mm]	76	CITROËN (DF-PSA)	3272C3
		Packing unit	1	CITROËN (DF-PSA)	3272FP		
		Quantity per packing unit	1	CITROËN (DF-PSA)	3272Z7		
		Status	Normal	CITROËN (DF-PSA)	3272Z7		
				PEUGEOT	32726W		
				PEUGEOT	32727S		
				PEUGEOT	32729L		
				PEUGEOT	3272FP		
				PEUGEOT	3272YN		
				PEUGEOT	3272ZJ		
				PEUGEOT	9643517980		
				PEUGEOT	3272.YN		
				PEUGEOT	3272.ZJ		
30-1228	TrakMotive	Length [mm]	842.5				
		Outer gearing wheel side	21	CITROËN	3273.Y0		
		Outer teething differential side	24	PEUGEOT	32735Q		
		Seal Diameter [mm]	47.4	PEUGEOT	32735R		
		Wheel-side joint diameter [mm]	84	PEUGEOT	3273Y0		
		Transmission-side joint diameter [mm]	79	PEUGEOT	3273.5Q		
		Packing unit	1	PEUGEOT	3273.5R		
		Quantity per packing unit	1				
		Status	Normal				

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1229	TrakMotive	Length [mm]	608		
		Outer gearing wheel side	25		
		Outer teething differential side	22		
		Seal Diameter [mm]	49	SUZUKI 44101-86G00	
		Number of Teeth, ABS ring	43	SUZUKI 44101-86G01	
		Wheel-side joint diameter [mm]	79	SUZUKI 44101-86G02	
		Transmission-side joint diameter [mm]	69		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		
30-1233	TrakMotive	Length [mm]	836		
		Outer gearing wheel side	21	PEUGEOT 327304	
		Outer teething differential side	22	PEUGEOT 32737L	
		Seal Diameter [mm]	49	PEUGEOT 3273Y4	
		Wheel-side joint diameter [mm]	84	PEUGEOT 3273.04	
		Transmission-side joint diameter [mm]	67.5	PEUGEOT 3273.7L	
		Packing unit	1	PEUGEOT 3273.Y4	
		Quantity per packing unit	1		
		Status	Normal		
		30-1234	TrakMotive		
				OPEL 93852699	
				OPEL 93856470	
				OPEL 93866081	
				OPEL 4409210	
				OPEL 4414517	
				OPEL 4430547	
				OPEL 4413397	
				OPEL 91166708	
				OPEL 91168795	
				RENAULT 391018828R	
				RENAULT 7711135189	
				RENAULT 8200069147	
				RENAULT 8200179212	
				RENAULT 8200334338	
				RENAULT 8200485589	
				VAUXHALL 93866081	
		VAUXHALL 95520557			
		Length [mm]	675		
		Outer gearing wheel side	27		
		Seal Diameter [mm]	56.5		
		Wheel-side joint diameter [mm]	91		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1235	TrakMotive	Length [mm]	695	RENAULT 7701349771	
		Outer gearing wheel side	21	RENAULT 7701470304	
		Outer teething differential side	23	RENAULT 7711106219	
		Seal Diameter [mm]	56	RENAULT 8200323959	
		Wheel-side joint diameter [mm]	83	RENAULT 7701349804	
		Transmission-side joint diameter [mm]	79	RENAULT 7701349946	
		Packing unit	1	RENAULT 7701351192	
		Quantity per packing unit	1	RENAULT 7701351292	
		Status	Normal	RENAULT 7701351363	RENAULT 7701351936
30-1238	TrakMotive	Length [mm]	778		
		Outer gearing wheel side	23		
		Outer teething differential side	23		
		Seal Diameter [mm]	57.3	RENAULT 7700106265	
		Number of Teeth, ABS ring	44	RENAULT 7700111313	
		Length 2 [mm]	821	RENAULT 7700112132	
		Wheel-side joint diameter [mm]	83	RENAULT 7701111313	
		Transmission-side joint diameter [mm]	81	RENAULT 77111135214	
		Packing unit	1	RENAULT 77111135215	
		Quantity per packing unit	1		
		Status	Normal		
30-1240	TrakMotive	Fitting Position	Front Axle Left		
		Length [mm]	655		
		Outer gearing wheel side	28		
		Outer teething differential side	27		
		Seal Diameter [mm]	63	HONDA 44306SEAE50	
		Wheel-side joint diameter [mm]	89	HONDA 44306SEAN00	
		Transmission-side joint diameter [mm]	82.5	HONDA 44306SEAN50	
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
30-1241	TrakMotive	Fitting Position	Front Axle Right		
		Length [mm]	551		
		Outer gearing wheel side	28		
		Outer teething differential side	27		
		Seal Diameter [mm]	63		
		Wheel-side joint diameter [mm]	89	HONDA 44305SEAN00	
		Transmission-side joint diameter [mm]	82.5		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1242	TrakMotive	Length [mm]	678	
		Outer gearing wheel side	30	
		Outer teething differential side	27	
		Seal Diameter [mm]	67.8	
		Wheel-side joint diameter [mm]	89	HONDA 44306TA0A00
		Transmission-side joint diameter [mm]	81	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1251	TrakMotive	Fitting Position	Front Axle Left	
		Fitting Position	Front Axle Right	
		Length [mm]	564	
		Outer gearing wheel side	26	
		Outer teething differential side	27	HONDA 44011SX8M01
		Seal Diameter [mm]	55	HONDA 44011S04010
		Number of Teeth, ABS ring	50	HONDA 44011S04951
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1254	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	529	
		Outer gearing wheel side	26	
		Outer teething differential side	27	
		Seal Diameter [mm]	60	
		Number of Teeth, ABS ring	50	HONDA 44305-S5B-950
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	67.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1264	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	610	
		Outer gearing wheel side	26	
		Outer teething differential side	25	
		Seal Diameter [mm]	60	HONDA 44305S6A950
		Number of Teeth, ABS ring	50	HONDA 44305S5DA01
		Wheel-side joint diameter [mm]	83	HONDA 44305S5DA51
		Transmission-side joint diameter [mm]	74.2	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1269	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	608	
		Outer gearing wheel side	26	HONDA 44305SH3G01
		Outer teething differential side	25	HONDA 44305SH3G00
		Seal Diameter [mm]	49	HONDA 44305SH3A01
		Wheel-side joint diameter [mm]	89	HONDA 44305SH3A00
		Transmission-side joint diameter [mm]	81	HONDA 44305SH3961 HONDA 44305SH3960
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
		30-1271	TrakMotive	Outer gearing wheel side
Outer teething differential side	25			
Seal Diameter [mm]	671			
Number of Teeth, ABS ring	50			
Length 2 [mm]	624			
Wheel-side joint diameter [mm]	89			
Transmission-side joint diameter [mm]	81			
Packing unit	1			
Quantity per packing unit	1			
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1285	TrakMotive	Fitting Position Length [mm] Outer gearing wheel side Seal Diameter [mm] Wheel-side joint diameter [mm] Transmission-side joint diameter [mm] Packing unit Quantity per packing unit Status	Front Axle	AUDI 1J0 407 271 AF
			Left	AUDI 1J0407271DL
				SEAT 357407271R
				SEAT 357407271RX
				SEAT JZW407271GX
				SEAT 1J0407451AV
				VW 1J0407451QX
				VW 1J0407271DF
				VW 1J0407271JD
				VW 1J0407453DV
				VW 1J0407453DX
				VW 357407271RV
				VW 1J0407271EN
				VW 1J0407271H
				VW 1J0407451AX
				VW 1J0407451MX
				VW 1J0407271FN
				VW 1H0407271C
				VW 1J0407451JX
				VW 1H0407271CX
	VW 1H0407271G			
	VW 1H0407271K			
	VW 1J0407271AD			
	VW 1J0407271AP			
	VW 1J0407271AQ			
	VW 1J0407271BG			

30-1286	TrakMotive	Length [mm] Outer gearing wheel side Outer teething differential side Seal Diameter [mm] Number of Teeth, ABS ring Wheel-side joint diameter [mm] Transmission-side joint diameter [mm] Packing unit Quantity per packing unit Status	610	
			25	
			22	
			49	
			43	
			79	SUZUKI 44102-86G00
			74.2	
			1	
			1	
			Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1287	TrakMotive	Fitting Position	Front Axle Right	FORD 1468437
		Length [mm]	962	FORD 1477841
		Outer gearing wheel side	36	FORD 1798101
		Outer teething differential side	26	FORD 4N51-3B436-XJ
		Seal Diameter [mm]	56	FORD 4N51-3B436-XK
		Wheel-side joint diameter [mm]	89	FORD RM4N51-3B436-XIK
		Transmission-side joint diameter [mm]	81.5	VOLVO 30640878
		Packing unit	1	VOLVO 36000555
		Quantity per packing unit	1	VOLVO 36002452
		Status	Normal	VOLVO 8603249
				VOLVO 30741287
				VOLVO 30787781
				VOLVO 36000072
				VOLVO 36000182
		VOLVO 360001820		
		VOLVO 36000446		
30-1289	TrakMotive	Length [mm]	741	RENAULT 7700112147
		Outer gearing wheel side	21	RENAULT 7711135493
		Outer teething differential side	23	RENAULT 8200231949
		Seal Diameter [mm]	52.3	RENAULT 8200844449
		Number of Teeth, ABS ring	38	RENAULT 7701352319
		Length 2 [mm]	780	RENAULT 7701352808
		Wheel-side joint diameter [mm]	79	RENAULT 7701352809
		Transmission-side joint diameter [mm]	81	RENAULT 7701468549
		Packing unit	1	RENAULT 7701470183
		Quantity per packing unit	1	RENAULT 7701470298
		Status	Normal	
30-1291	TrakMotive	Length [mm]	636	
		Outer gearing wheel side	28	
		Outer teething differential side	27	
		Seal Diameter [mm]	63	
		Wheel-side joint diameter [mm]	89	HONDA 44305TA0A00
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1294	TrakMotive	Fitting Position	Front Axle Right	MERCEDES-BENZ A1693601572	
		Length [mm]	988	MERCEDES-BENZ 1693608472	
		Outer gearing wheel side	25	MERCEDES-BENZ 1693607272	
		Outer teething differential side	27	MERCEDES-BENZ 1693607072	
		Seal Diameter [mm]	60	MERCEDES-BENZ A1693603272	
		Wheel-side joint diameter [mm]	83	MERCEDES-BENZ A1693603472	
		Transmission-side joint diameter [mm]	84.5	MERCEDES-BENZ A1693608472	
		Packing unit	1	MERCEDES-BENZ A1693607272	
		Quantity per packing unit	1	MERCEDES-BENZ 1693605672	
		Status	Normal	MERCEDES-BENZ 1693608572	
		30-1298	TrakMotive	Length [mm]	652
Outer gearing wheel side	26				
Outer teething differential side	20			TOYOTA 4342047020	
Seal Diameter [mm]	58			TOYOTA 4342005240	
Number of Teeth, ABS ring	48			TOYOTA 4342002701	
Wheel-side joint diameter [mm]	83			TOYOTA 434200F010	
Transmission-side joint diameter [mm]	79			TOYOTA 4342005241	
Packing unit	1				
Quantity per packing unit	1				
Status	Normal				
30-1299	TrakMotive	Fitting Position	Front Axle Left		
		Length [mm]	977	VOLVO 8603874	
		Outer gearing wheel side	36	VOLVO 8602581	
		Outer teething differential side	26	VOLVO 8252052	
		Seal Diameter [mm]	56.5	VOLVO 36000535	
		Number of Teeth, ABS ring	48	VOLVO 8603791	
		Wheel-side joint diameter [mm]	91	VOLVO 8602575	
		Transmission-side joint diameter [mm]	81.5	VOLVO 36000530	
		Packing unit	1	VOLVO 8252046	
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1300	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	1,094	
		Outer gearing wheel side	31	
		Outer teething differential side	41	
		Seal Diameter [mm]	57.7	FORD 1774275
		Wheel-side joint diameter [mm]	98	FORD 1841532
		Transmission-side joint diameter [mm]	99	FORD BK21-3B436-AB
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1304	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	755	
		Outer gearing wheel side	31	
		Outer teething differential side	41	
		Seal Diameter [mm]	57.7	FORD 1774279
		Wheel-side joint diameter [mm]	98	FORD BK21-3B437-AB
		Transmission-side joint diameter [mm]	99	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1305	TrakMotive	Length [mm]	812	
		Outer gearing wheel side	29	
		Seal Diameter [mm]	70	
		Flange Ø [mm]	144.4	
		Length 2 [mm]	892	MERCEDES-BENZ A9063502810
		Wheel-side joint diameter [mm]	99.8	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1315	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	845	
		Outer gearing wheel side	25	
		Outer teething differential side	22	
		Seal Diameter [mm]	35.9	FIAT 51787862
		Wheel-side joint diameter [mm]	79	FIAT 51955477
		Transmission-side joint diameter [mm]	74.2	FIAT 51955849
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1316	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	608.5	
		Outer gearing wheel side	25	
		Outer teething differential side	22	FIAT 51787864
		Seal Diameter [mm]	35.9	FIAT 51955482
		Wheel-side joint diameter [mm]	79	FIAT 51955787
		Transmission-side joint diameter [mm]	74.2	FIAT 51955850
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1317	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	613	
		Outer gearing wheel side	22	FIAT 51787863
		Outer teething differential side	22	FIAT 51955481
		Seal Diameter [mm]	35.95	FIAT 51956412
		Wheel-side joint diameter [mm]	74.5	FORD 1541818
		Transmission-side joint diameter [mm]	67.5	FORD 9S513B437AA
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1318	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	846	
		Outer gearing wheel side	22	
		Outer teething differential side	22	FIAT 1541812
		Seal Diameter [mm]	35.95	FIAT 51787861
		Wheel-side joint diameter [mm]	74.5	FIAT 51955476
		Transmission-side joint diameter [mm]	67.5	FIAT 51956411
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1329	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	921	
		Outer gearing wheel side	26	
		Outer teething differential side	23	
		Seal Diameter [mm]	34	TOYOTA 43410-20441
		Wheel-side joint diameter [mm]	86	TOYOTA 43410-20442
		Transmission-side joint diameter [mm]	74.2	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1330	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	611	
		Outer gearing wheel side	26	
		Outer teething differential side	23	
		Seal Diameter [mm]	34	TOYOTA 43420-20112
		Wheel-side joint diameter [mm]	86	TOYOTA 43420-20113
		Transmission-side joint diameter [mm]	74.2	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1357	TrakMotive	Fitting Position	Rear Axle Left	
		Fitting Position	Rear Axle Right	
		Length [mm]	623	
		Outer gearing wheel side	30	BMW 33211229748
		Seal Diameter [mm]	58.8	BMW 33211229749
		Wheel-side joint diameter [mm]	99.8	BMW 33201229380
		Transmission-side joint diameter [mm]	108	BMW 33201229377
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1377	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	620	
		Outer gearing wheel side	29	
		Outer teething differential side	29	
		Seal Diameter [mm]	56	
		Number of Teeth, ABS ring	44	NISSAN 391018H710
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria		OE numbers	Comparable numbers
30-1378	TrakMotive			MERCEDES-BENZ	1643302101
		Fitting Position	Front Axle Right	MERCEDES-BENZ	A1643302101
		Length [mm]	1,000	MERCEDES-BENZ	1643303001
		Outer gearing wheel side	30	MERCEDES-BENZ	A1643301901
		Outer teething differential side	37	MERCEDES-BENZ	1643301901
		Seal Diameter [mm]	70.3	MERCEDES-BENZ	A1643302801
		Wheel-side joint diameter [mm]	89	MERCEDES-BENZ	1643302401
		Transmission-side joint diameter [mm]	81.5	MERCEDES-BENZ	A1643302401
		Packing unit	1	MERCEDES-BENZ	1643302801
		Quantity per packing unit	1	MERCEDES-BENZ	
		Status	Normal	MERCEDES-BENZ	
30-1380	TrakMotive	Fitting Position	Front Axle Left		
		Length [mm]	590.5		
		Outer gearing wheel side	26	BMW 31608605467	
		Outer teething differential side	34	BMW 31607585381	
		Seal Diameter [mm]	53.5	BMW 31604853483	
		Wheel-side joint diameter [mm]	82	BMW 31602756339	
		Transmission-side joint diameter [mm]	79	BMW 31607596059	
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
30-1381	TrakMotive	Fitting Position	Front Axle Left		
		Fitting Position	Front Axle Right		
		Length [mm]	778		
		Outer gearing wheel side	27		
		Outer teething differential side	25		
		Seal Diameter [mm]	56	SUBARU 28321-FE110	
		Number of Teeth, ABS ring	44	SUBARU 28321-FE111	
		Wheel-side joint diameter [mm]	83		
		Transmission-side joint diameter [mm]	80		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1382	TrakMotive	Fitting Position	Rear Axle Left	
		Fitting Position	Rear Axle Right	
		Length [mm]	605	
		Outer gearing wheel side	30	
		Seal Diameter [mm]	69	BMW 33212228513
		Number of Teeth, ABS ring	48	BMW 33212228156
		Wheel-side joint diameter [mm]	94	
		Transmission-side joint diameter [mm]	108	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1384	TrakMotive	Fitting Position	Rear Axle Right	
		Length [mm]	820	
		Outer gearing wheel side	28	
		Outer teething differential side	23	
		Seal Diameter [mm]	55	HONDA 42310SXSA010M1
		Wheel-side joint diameter [mm]	70	HONDA 42310SXSA01
		Transmission-side joint diameter [mm]	67.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1387	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	655.5	
		Outer gearing wheel side	30	
		Outer teething differential side	28	
		Seal Diameter [mm]	65	HYUNDAI 495003V510
		Number of Teeth, ABS ring	48	HYUNDAI 495003V500
		Wheel-side joint diameter [mm]	98	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1389	TrakMotive	Fitting Position	Front Axle Left	JEEP 52104701AB
		Length [mm]	653	
		Outer gearing wheel side	29	
		Outer teething differential side	29	
		Seal Diameter [mm]	70	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1391	TrakMotive	Fitting Position	Front Axle Right	MERCEDES-BENZ 1693601272
		Length [mm]	974	MERCEDES-BENZ 1693606572
		Outer gearing wheel side	25	MERCEDES-BENZ 1693606272
		Outer teething differential side	22	MERCEDES-BENZ 1693606072
		Seal Diameter [mm]	59.9	MERCEDES-BENZ 1693608272
		Wheel-side joint diameter [mm]	83	MERCEDES-BENZ 1693608072
		Transmission-side joint diameter [mm]	75	MERCEDES-BENZ 1693607872
		Packing unit	1	MERCEDES-BENZ 1693607672
		Quantity per packing unit	1	MERCEDES-BENZ 1693606972
		Status	Normal	MERCEDES-BENZ 1693606872
		Outer gearing wheel side	28	
		Outer teething differential side	24	
		Seal Diameter [mm]	58.6	
Length 2 [mm]	756			
Wheel-side joint diameter [mm]	98	PEUGEOT 9813657480		
Transmission-side joint diameter [mm]	82.5			
Packing unit	1			
Quantity per packing unit	1			
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1404	TrakMotive	Outer gearing wheel side	25	PEUGEOT 9677522880
		Outer teething differential side	24	
		Seal Diameter [mm]	58.4	
		Length 2 [mm]	980	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	82.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1406	TrakMotive	Fitting Position	Front Axle Right	CHRYSLER K52104590AA CHRYSLER 052104590AA JEEP 52104590AB JEEP 52104590AA
		Length [mm]	607	
		Outer gearing wheel side	29	
		Outer teething differential side	29	
		Seal Diameter [mm]	46	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
30-1407	TrakMotive	Length [mm]	653	JEEP K52104701AB
		Outer gearing wheel side	29	
		Outer teething differential side	29	
		Seal Diameter [mm]	42.8	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1411	TrakMotive	Fitting Position	Front Axle Left	TOYOTA 43420-02270 TOYOTA 43420-02271 TOYOTA 4342005200
		Length [mm]	640	
		Outer gearing wheel side	26	
		Outer teething differential side	23	
		Seal Diameter [mm]	58	
		Number of Teeth, ABS ring	48	
		Length 2 [mm]	690	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	82.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers		
30-1413	TrakMotive	Length [mm]	625	MAZDA FG32-25-600		
		Outer gearing wheel side	28			
		Outer teething differential side	26			
		Seal Diameter [mm]	35			
		Wheel-side joint diameter [mm]	83			
		Transmission-side joint diameter [mm]	75.5			
		Packing unit	1			
		Quantity per packing unit	1			
		Status	Normal			
30-1415	TrakMotive	Fitting Position	Front Axle Right	AUDI 1K0 407 272 BM AUDI 1K0 407 766 X AUDI 5K0 407 272 J AUDI 5K0 407 452 AX AUDI 5K0 407 452 DX AUDI 5Q0 407 272 EF AUDI 5Q0 407 272 F AUDI 5Q0 407 272 J AUDI 5Q0 407 764 DX AUDI 8J0407272N AUDI 5Q0407762HX AUDI 1K0 407 272 FS AUDI 1K0 407 272 KB AUDI 1K0 407 272 MA AUDI 1K0 407 454 TX AUDI 1K0 407 456 GV AUDI 1K0 407 456 GX AUDI 1K0 407 762 FX SKODA 5Q0407762JX VW 1K0407452QX		
		Length [mm]	881			
		Outer gearing wheel side	36			
		Outer teething differential side	26			
		Seal Diameter [mm]	31			
		Wheel-side joint diameter [mm]	91			
		Transmission-side joint diameter [mm]	81.5			
		Packing unit	1			
		Quantity per packing unit	1			
			Status	Normal		
		30-1417	TrakMotive	Fitting Position	Front Axle Left	AUDI 1K0 407 271 BD AUDI 5Q0 407 271 CE AUDI 5Q0 407 271 DF AUDI 5Q0 407 763 DX AUDI 1K0 407 271 CQ AUDI 1K0 407 271 PJ AUDI 1K0 407 271 PK AUDI 1K0 407 451 PX AUDI 1K0 407 451 RX AUDI 1K0 407 763 MX VAG 1K0407453LX VW 1K0407271DE VW 1K0407761CX VW 1K0407453KX
				Length [mm]	585.5	
				Outer gearing wheel side	36	
				Outer teething differential side	26	
Seal Diameter [mm]	31					
Wheel-side joint diameter [mm]	91					
Transmission-side joint diameter [mm]	81.5					
Packing unit	1					
Quantity per packing unit	1					
	Status			Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1440	TrakMotive	Outer gearing wheel side	25	FIAT 46308405
		Outer teething differential side	24	
		Seal Diameter [mm]	51.1	
		Length 1 [mm]	559	
		Length 2 [mm]	606.5	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1441	TrakMotive	Outer gearing wheel side	25	FIAT 46308404 FIAT 51808313
		Outer teething differential side	24	
		Seal Diameter [mm]	51.1	
		Length 1 [mm]	879	
		Length 2 [mm]	923.5	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1442	TrakMotive	Outer gearing wheel side	25	ALFA ROMEO 46307741
		Outer teething differential side	27	
		Seal Diameter [mm]	59	
		Length 1 [mm]	997.5	
		Length 2 [mm]	1,053	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1450	TrakMotive	Outer gearing wheel side	22	OPEL 26111119 OPEL 3 74 510 OPEL 3 74 512 OPEL 3 74 554 OPEL 93299246 OPEL 93299248 OPEL 93299250
		Outer teething differential side	22	
		Seal Diameter [mm]	52	
		Number of Teeth, ABS ring	29	
		Length 1 [mm]	941.5	
		Length 2 [mm]	988.5	
		Wheel-side joint diameter [mm]	79	
		Transmission-side joint diameter [mm]	75.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1454	TrakMotive	Outer gearing wheel side	25	
		Outer teething differential side	24	
		Seal Diameter [mm]	55.5	
		Length 1 [mm]	858.5	PEUGEOT 3273.27
		Length 2 [mm]	895	PEUGEOT 3273.58
		Wheel-side joint diameter [mm]	86	PEUGEOT 3273.91
		Transmission-side joint diameter [mm]	79	PEUGEOT 3273.H9
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1456	TrakMotive	Outer gearing wheel side	25	
		Outer teething differential side	24	
		Seal Diameter [mm]	57	
		Length 1 [mm]	578.5	PEUGEOT 3272.22
		Length 2 [mm]	613	PEUGEOT 3273.29
		Wheel-side joint diameter [mm]	83	PEUGEOT 3273.3
		Transmission-side joint diameter [mm]	75.5	PEUGEOT 3273.54
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1472	TrakMotive	Outer gearing wheel side	21	
		Outer teething differential side	23	
		Seal Diameter [mm]	52	
		Number of Teeth, ABS ring	26	RENAULT 77 00 114 751
		Length 1 [mm]	732	RENAULT 77 01 352 849
		Length 2 [mm]	763	RENAULT 77 01 470 884
		Wheel-side joint diameter [mm]	83	RENAULT 77 11 134 327
		Transmission-side joint diameter [mm]	81	RENAULT 82 00 107 090
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1537	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	640	
		Outer gearing wheel side	28	
		Outer teething differential side	29	
		Seal Diameter [mm]	60	HONDA 44306SJHE02
		Wheel-side joint diameter [mm]	89	HONDA 44306SKNE00
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1540	TrakMotive	Fitting Position	Front Axle Left	MERCEDES-BENZ 1693603372
		Length [mm]	583	
		Outer gearing wheel side	25	
		Outer teething differential side	27	
		Seal Diameter [mm]	60	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	84.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1554	TrakMotive	Fitting Position	Front Axle Right	TOYOTA 43410-05340
		Length [mm]	923	
		Outer gearing wheel side	26	
		Outer teething differential side	20	
		Seal Diameter [mm]	58	
		Number of Teeth, ABS ring	48	
		Wheel-side joint diameter [mm]	79	
		Transmission-side joint diameter [mm]	82	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1555	TrakMotive	Length [mm]	911	TOYOTA 43410-02240
		Outer gearing wheel side	26	
		Outer teething differential side	23	
		Seal Diameter [mm]	58	
		Number of Teeth, ABS ring	48	
		Wheel-side joint diameter [mm]	79	
		Transmission-side joint diameter [mm]	82	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1561	TrakMotive	Length [mm]	995	FORD 1783749
		Outer gearing wheel side	27	
		Outer teething differential side	26	
		Seal Diameter [mm]	63	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1570	TrakMotive	Fitting Position	Front Axle Left	OPEL 22796273 OPEL 374932
		Length [mm]	623.5	
		Outer gearing wheel side	30	
		Outer teething differential side	25	
		Seal Diameter [mm]	52.5	
		Length 2 [mm]	663	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	94	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1572	TrakMotive	Fitting Position	Front Axle Left	OPEL 5374153 OPEL 94560842
		Length [mm]	625	
		Outer gearing wheel side	25	
		Outer teething differential side	34	
		Seal Diameter [mm]	52.5	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	79	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
		30-1575	TrakMotive	
Length [mm]	622			
Outer gearing wheel side	33			
Outer teething differential side	25			
Seal Diameter [mm]	51.7			
Length 2 [mm]	655			
Wheel-side joint diameter [mm]	83			
Transmission-side joint diameter [mm]	83			
Packing unit	1			
Quantity per packing unit	1			
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1576	TrakMotive	Length [mm]	604.5	OPEL 22796274
		Outer gearing wheel side	30	
		Outer teething differential side	34	
		Seal Diameter [mm]	52.5	
		Length 2 [mm]	644	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	94	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1578	TrakMotive	Fitting Position	Front Axle Right	OPEL 95522371 OPEL 13367074
		Length [mm]	977	
		Outer gearing wheel side	33	
		Outer teething differential side	25	
		Seal Diameter [mm]	51.7	
		Length 2 [mm]	1,010	
		Wheel-side joint diameter [mm]	83	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1581	TrakMotive	Fitting Position	Axle Position 1	OPEL 13348259 OPEL 374905 OPEL 95520489
		Length [mm]	623	
		Outer gearing wheel side	30	
		Outer teething differential side	27	
		Seal Diameter [mm]	52.5	
		Length 2 [mm]	662.5	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	94	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1582	TrakMotive	Fitting Position	Front Axle Right	OPEL 375041 OPEL 93169686 OPEL 374809 VAUXHALL 13245904 VAUXHALL R1640096
		Length [mm]	576	
		Outer gearing wheel side	33	
		Outer teething differential side	27	
		Seal Diameter [mm]	53	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1595	TrakMotive	Length [mm]	637.5	PEUGEOT 9677522680
		Outer gearing wheel side	25	
		Outer teething differential side	24	
		Seal Diameter [mm]	58.5	
		Length 2 [mm]	680	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	82	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1598	TrakMotive	Fitting Position	Front Axle Left	PEUGEOT 1613229680 PEUGEOT 1613732480 PEUGEOT 3272LG PEUGEOT 3272LH PEUGEOT 3272TZ PEUGEOT 806459180 PEUGEOT 9656135280 PEUGEOT 9800387380
		Length [mm]	639	
		Outer gearing wheel side	25	
		Outer teething differential side	24	
		Seal Diameter [mm]	58.4	
		Length 2 [mm]	681.5	
		Wheel-side joint diameter [mm]	86	
		Transmission-side joint diameter [mm]	82	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1600	TrakMotive	Fitting Position	Front Axle Right	PEUGEOT 9821572980 PEUGEOT 1617416480 PEUGEOT 1617716480 PEUGEOT 1631735080 PEUGEOT 9817720480
		Length [mm]	966.5	
		Outer gearing wheel side	28	
		Outer teething differential side	24	
		Seal Diameter [mm]	58.5	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	82	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1601	TrakMotive	Fitting Position	Front Axle Left	CITROËN 3272RP CITROËN 3272RQ PEUGEOT 3272RP PEUGEOT 3272RQ
		Outer gearing wheel side	27	
		Outer teething differential side	37	
		Seal Diameter [mm]	61.4	
		Length 2 [mm]	640	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1602	TrakMotive	Outer gearing wheel side	28	PEUGEOT 9813657580
		Outer teething differential side	24	
		Seal Diameter [mm]	58.6	
		Length 2 [mm]	1,009	
		Wheel-side joint diameter [mm]	98	
		Transmission-side joint diameter [mm]	82.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1603	TrakMotive	Outer gearing wheel side	28	PEUGEOT 9821573080
		Outer teething differential side	24	
		Seal Diameter [mm]	58.6	
		Length 2 [mm]	766	
		Wheel-side joint diameter [mm]	98	
		Transmission-side joint diameter [mm]	82.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1604	TrakMotive	Length [mm]	531.5	AUDI 8Z0 407 271 AK AUDI 8Z0 407 451 X
		Outer gearing wheel side	20	
		Wheel-side joint diameter [mm]	70	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1605	TrakMotive	Fitting Position	Front Axle Right	NISSAN 39100JD72B
		Length [mm]	981	
		Outer gearing wheel side	29	
		Outer teething differential side	29	
		Seal Diameter [mm]	56	
		Wheel-side joint diameter [mm]	98	
		Transmission-side joint diameter [mm]	91	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1606	TrakMotive	Fitting Position	Front Axle Left	HONDA 44306SMGE01
		Length [mm]	634.5	
		Outer gearing wheel side	26	
		Outer teething differential side	27	
		Seal Diameter [mm]	63	
		Wheel-side joint diameter [mm]	86	
		Transmission-side joint diameter [mm]	82	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1607	TrakMotive	Fitting Position	Front Axle Left	VOLVO 36001403 VOLVO 36012414
		Length [mm]	576	
		Outer gearing wheel side	40	
		Outer teething differential side	31	
		Length 2 [mm]	666	
		Wheel-side joint diameter [mm]	98	
		Transmission-side joint diameter [mm]	98	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1608	TrakMotive	Fitting Position	Front Axle Right	VOLVO 36001182 VOLVO 36001399 VOLVO 36012422
		Length [mm]	1,019	
		Outer gearing wheel side	40	
		Outer teething differential side	28	
		Length 2 [mm]	1,109	
		Wheel-side joint diameter [mm]	98	
		Transmission-side joint diameter [mm]	98	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1609	TrakMotive	Fitting Position	Front Axle Left	VOLVO 36002896
		Length [mm]	583	
		Outer gearing wheel side	36	
		Outer teething differential side	26	
		Seal Diameter [mm]	56.5	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1610	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	518	VAG 1K0 407 271 JK
		Outer gearing wheel side	36	VAG 1K0 407 271 LF
		Seal Diameter [mm]	59.5	VAG 1K0 407 271 PF
		Length 2 [mm]	559	VAG 1K0 407 453 NX
		Wheel-side joint diameter [mm]	98	VAG 1K0 407 761 RX
		Transmission-side joint diameter [mm]	108	VAG 1K0 407 763 JX VAG 3Q0407271N
		Packing unit	1	VAG 3Q0407761CX
		Quantity per packing unit	1	
		Status	Normal	
30-1611	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	580	
		Outer gearing wheel side	28	FORD 1447177
		Outer teething differential side	30	FORD 6M343B436BA
		Seal Diameter [mm]	61	FORD PP042550XA
		Number of Teeth, ABS ring	44	FORD 1447178
		Wheel-side joint diameter [mm]	89	FORD 6M343B437DA
		Transmission-side joint diameter [mm]	89	FORD 1454575 FORD 6M343B436CA
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1612	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	981	FORD 1692121
		Outer gearing wheel side	27	FORD 1712269
		Outer teething differential side	26	FORD 1860758
		Seal Diameter [mm]	63	FORD 1867866
		Wheel-side joint diameter [mm]	79	FORD AV61-3B436-DC
		Transmission-side joint diameter [mm]	74.2	FORD AV61-3B436-DD FORD DV61-3B436-KB
		Packing unit	1	FORD RMDV61-3B436-KA
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1613	TrakMotive	Fitting Position	Front Axle Left	
		Fitting Position	Front Axle Right	SUBARU 28321-AG011 SUBARU 28321-FG003
		Length [mm]	778	SUBARU 28321-FG021
		Outer gearing wheel side	27	SUBARU 28421-AG022
		Outer teething differential side	25	SUBARU 28321-AG021
		Seal Diameter [mm]	52	SUBARU 28321-AG023
		Wheel-side joint diameter [mm]	79	SUBARU 28321AG050
		Transmission-side joint diameter [mm]	74.2	SUBARU 28321FG001 SUBARU 28321FG002
		Packing unit	1	SUBARU 28321FG003
		Quantity per packing unit	1	
		Status	Normal	
		30-1615	TrakMotive	Fitting Position
Length [mm]	931.5			
Outer gearing wheel side	40			FORD 7G913B436BE
Outer teething differential side	28			FORD 1667941
Seal Diameter [mm]	57.5			FORD 1483807
Wheel-side joint diameter [mm]	91			FORD 7G913B436BD
Transmission-side joint diameter [mm]	91			FORD 7G913B436BF FORD 1788206
Packing unit	1			
Quantity per packing unit	1			
Status	Normal			
30-1616	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	585	
		Outer gearing wheel side	25	
		Outer teething differential side	26	
		Seal Diameter [mm]	49.7	
		Number of Teeth, ABS ring	44	HYUNDAI 4950017560
		Length 2 [mm]	631	HYUNDAI 4950117150
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	81	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1617	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	971	
		Outer gearing wheel side	30	
		Outer teething differential side	27	BMW 31607622914
		Seal Diameter [mm]	64.8	BMW 31607629880
		Wheel-side joint diameter [mm]	86	BMW 31608631746
		Transmission-side joint diameter [mm]	81.5	BMW 31607607938
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1618	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	638	
		Outer gearing wheel side	26	
		Outer teething differential side	27	HONDA 44306SMGE00
		Seal Diameter [mm]	58	HONDA 44306SMGE01
		Wheel-side joint diameter [mm]	79	HONDA 44306SMGG00
		Transmission-side joint diameter [mm]	79	HONDA 44306SMGG01
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1619	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	931	
		Outer gearing wheel side	25	
		Outer teething differential side	25	
		Seal Diameter [mm]	51.5	FIAT 51861637
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	91	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1620	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	585	
		Outer gearing wheel side	28	MAZDA GG3325600E
		Outer teething differential side	30	MAZDA GG3325600D
		Seal Diameter [mm]	58.7	MAZDA GG3325600C
		Wheel-side joint diameter [mm]	83	MAZDA GG3325600B
		Transmission-side joint diameter [mm]	82.5	MAZDA GG3325600A
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1621	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	619	
		Outer gearing wheel side	26	BMW 31608605473
		Outer teething differential side	33	MINI 31607589767
		Seal Diameter [mm]	53.5	MINI 31604853485
		Wheel-side joint diameter [mm]	79	MINI 31602756341
		Transmission-side joint diameter [mm]	74.2	MINI 31602752251
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1622	TrakMotive	Fitting Position	Rear Axle Left	
		Fitting Position	Rear Axle Right	
		Length [mm]	820	
		Outer gearing wheel side	30	BMW 33208603103
		Outer teething differential side	32	BMW 33208609839
		Seal Diameter [mm]	69	BMW 33207564128
		Wheel-side joint diameter [mm]	94	
		Transmission-side joint diameter [mm]	94	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1623	TrakMotive	Fitting Position	Front Axle Right	FORD 4N513B436PG FORD 4N513B436PH
		Length [mm]	945	VOLVO 8603820
		Outer gearing wheel side	36	VOLVO 86032612
		Outer teething differential side	26	VOLVO 8603120
		Seal Diameter [mm]	56	VOLVO 36051061
		Wheel-side joint diameter [mm]	82	VOLVO 36000560
		Transmission-side joint diameter [mm]	79	VOLVO 36000558 VOLVO 36000451
		Packing unit	1	VOLVO 360001846
		Quantity per packing unit	1	VOLVO 36000559
		Status	Normal	VOLVO 86031226

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1624	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	517	
		Outer gearing wheel side	36	
		Outer teething differential side	26	
		Seal Diameter [mm]	56.5	FORD 4N513B437PJ
		Wheel-side joint diameter [mm]	89	FORD 4N513B437PH
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1625	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	610	
		Outer gearing wheel side	27	
		Outer teething differential side	26	
		Seal Diameter [mm]	60	HYUNDAI 4950126561SJ
		Number of Teeth, ABS ring	52	HYUNDAI 4950126550
		Wheel-side joint diameter [mm]	91	HYUNDAI 4950126561
		Transmission-side joint diameter [mm]	82.5	HYUNDAI 4950126560
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1626	TrakMotive	Fitting Position	Front Axle Left	
		Fitting Position	Front Axle Right	
		Length [mm]	583	
		Outer gearing wheel side	33	AUDI 895 407 271
		Seal Diameter [mm]	53	AUDI 8A0 407 271AT
		Number of Teeth, ABS ring	45	AUDI 893 407 271P
		Wheel-side joint diameter [mm]	88	VW 895 407 271F
		Transmission-side joint diameter [mm]	108	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1627	TrakMotive	Fitting Position	Front Axle Left	
		Fitting Position	Front Axle Right	
		Length [mm]	615	
		Outer gearing wheel side	38	AUDI 4A0407452FX
		Seal Diameter [mm]	59.5	AUDI 4A0407272BD
		Number of Teeth, ABS ring	45	SEAT 4A0407271BG
		Flange Ø [mm]	131	VAG 4A0407452FX
		Wheel-side joint diameter [mm]	91	VAG 4A0407272DF
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1628	TrakMotive	Length [mm]	610	
		Outer gearing wheel side	26	
		Outer teething differential side	26	
		Seal Diameter [mm]	56	MAZDA F03725600C
		Number of Teeth, ABS ring	44	MAZDA F03725600A
		Wheel-side joint diameter [mm]	83	MAZDA F03725600
		Transmission-side joint diameter [mm]	79	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1629	TrakMotive	Fitting Position	Front Axle Right	
		Length [mm]	968	
		Outer gearing wheel side	27	
		Outer teething differential side	23	
		Seal Diameter [mm]	56	JAGUAR C2S29729
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	67.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1630	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	630	FORD C2S4864
		Outer gearing wheel side	27	FORD 1326261
		Outer teething differential side	26	FORD RM1S7J3B437AA
		Seal Diameter [mm]	56	FORD RM1S713B437AX
		Wheel-side joint diameter [mm]	83	FORD 1600650
		Transmission-side joint diameter [mm]	67.5	FORD 1366591
		Packing unit	1	FORD 1132509
		Quantity per packing unit	1	FORD RM1S713B437AC
		Status	Normal	JAGUAR C2S29731

Article number	Brand	Criteria	OE numbers	Comparable numbers		
30-1631	TrakMotive	Fitting Position	Front Axle Left	MERCEDES-BENZ 1643303101 MERCEDES-BENZ A1643302701 MERCEDES-BENZ A1643302301 MERCEDES-BENZ 1643302301 MERCEDES-BENZ A1643302001 MERCEDES-BENZ 1643302001 MERCEDES-BENZ 1643302901 MERCEDES-BENZ A1643300801 MERCEDES-BENZ 1643300801 MERCEDES-BENZ 1643302701		
		Length [mm]	664			
		Outer gearing wheel side	30			
		Outer teething differential side	37			
		Seal Diameter [mm]	70.3			
		Wheel-side joint diameter [mm]	89			
		Transmission-side joint diameter [mm]	80			
		Packing unit	1			
		Quantity per packing unit	1			
		Status	Normal			
		30-1632	TrakMotive	Fitting Position	Front Axle Left	
				Length [mm]	596	
				Outer gearing wheel side	30	
Outer teething differential side	28					
Seal Diameter [mm]	66					
Number of Teeth, ABS ring	50			MITSUBISHI MR410664 MITSUBISHI MR453383		
Wheel-side joint diameter [mm]	98					
Transmission-side joint diameter [mm]	81.5					
Packing unit	1					
Quantity per packing unit	1					
Status	Normal					
30-1633	TrakMotive	Fitting Position	Front Axle Left			
		Length [mm]	594			
		Outer gearing wheel side	28			
		Outer teething differential side	30	MAZDA GG3125600C MAZDA GG3125600B MAZDA GG3125600A MAZDA GG3125600 MAZDA GG3125600D		
		Seal Diameter [mm]	58.7			
		Wheel-side joint diameter [mm]	83			
		Transmission-side joint diameter [mm]	81.5			
		Packing unit	1			
		Quantity per packing unit	1			
		Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1634	TrakMotive	Fitting Position	Front Axle Left	
		Fitting Position	Front Axle Right	
		Length [mm]	523.5	
		Outer gearing wheel side	28	NISSAN 3910078G60
		Seal Diameter [mm]	50	NISSAN 3910078G00
		Flange Ø [mm]	126	NISSAN 3910031G00
		Wheel-side joint diameter [mm]	91	NISSAN 3910058G60
		Packing unit	1	RENAULT 3910058G00
		Quantity per packing unit	1	
		Status	Normal	
30-1636	TrakMotive	Fitting Position	Front Axle Left	
		Length [mm]	555	VOLVO 8G9N3B437AA
		Outer gearing wheel side	40	VOLVO 31325573
		Outer teething differential side	31	VOLVO 31367536
		Seal Diameter [mm]	57.5	VOLVO 36012415
		Length 2 [mm]	615	VOLVO P31367536
		Wheel-side joint diameter [mm]	91	VOLVO 50643687
		Transmission-side joint diameter [mm]	98	VOLVO 50463394
		Packing unit	1	VOLVO 36001813
		Quantity per packing unit	1	VOLVO 36002544
Status	Normal	VOLVO 36001019		
30-1665	TrakMotive	Length [mm]	804	
		Outer gearing wheel side	30	
		Outer teething differential side	29	
		Seal Diameter [mm]	52	
		Wheel-side joint diameter [mm]	86	TESLA 104411900D
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1666	TrakMotive	Length [mm]	804	
		Outer gearing wheel side	30	
		Outer teething differential side	29	
		Seal Diameter [mm]	52	
		Wheel-side joint diameter [mm]	86	TESLA 104416100D
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1682	TrakMotive	Outer teething differential side	30		
		Internal Teeth, wheel side	27		
		Seal Diameter [mm]	69		
		Length 1 [mm]	818.5		
		Length 2 [mm]	898.5	BMW 33208609838	
		Wheel-side joint diameter [mm]	94	BMW 33208603102	
		Transmission-side joint diameter [mm]	94		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		
30-1686	TrakMotive	Outer teething differential side	30		
		Internal Teeth, wheel side	34		
		Seal Diameter [mm]	59		
		Length 1 [mm]	659		
		Length 2 [mm]	721.5		
		Wheel-side joint diameter [mm]	91	VAUXHALL 13219092	
		Transmission-side joint diameter [mm]	89		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		
30-1688	TrakMotive	Outer gearing wheel side	36	AUDI	1K0407764AX
		Seal Diameter [mm]	59.5	AUDI	1K0407762PX
		Number of bores	6	AUDI	1K0407764DX
		Bolt Hole Circle Ø [mm]	94	AUDI	1K0407764LX
		Length 1 [mm]	795	AUDI	1K0407764QX
		Length 2 [mm]	832	AUDI	5N0407762F
		Wheel-side joint diameter [mm]	91	AUDI	5N0407762FX
		Transmission-side joint diameter [mm]	108	AUDI	5N0407766B
		Packing unit	1	AUDI	5N0407766BX
		Quantity per packing unit	1	AUDI	5Q0407272E
		Status	Normal	AUDI	5Q0407762FX
				AUDI	1K0407272EN
				AUDI	1K0407272NJ
				AUDI	1K0407272RB
				AUDI	1K0407272RE
				AUDI	1K0407272RF
				AUDI	1K0407454DX
				AUDI	1K0407762BX
				SEAT	1K0407272EN
				SEAT	5Q0407272F
		SEAT	5Q0407762FX		
		SEAT	5Q0407762JX		
		SEAT	5Q0407762RX		
		SEAT	7N0407764C		
		SEAT	7N0407764Q		
		SEAT	7N0407764QX		
		SEAT	1K0407272RB		

Article number	Brand	Criteria	SEAT OE numbers	1K0407272RF	Comparable numbers
			SEAT	1K0407764DX	
			SEAT	1K0407764LX	
			SEAT	5K0407272C	
			SEAT	5K0407762BX	
			SEAT	5Q0407272BM	
			SEAT	5Q0407272E	
			SKODA	1K0407272NJ	
			SKODA	5Q0407762FX	
			SKODA	5Q0407762JX	
			SKODA	5Q0407762RX	
			SKODA	1K0407272PM	
			SKODA	1K0407272RB	
			SKODA	1K0407272TM	
			SKODA	1K0407762PX	
			SKODA	1K0407764LX	
			SKODA	5Q0407272BM	
			SKODA	5Q0407272E	
			SKODA	5Q0407272F	
			VAG	1K0407272KJ	
			VW	1K0407272PK	
			VW	1K0407764MX	
			VW	1K0407272EK	
			VW	1K0407272EN	
			VW	1K0407272JB	
			VW	1K0407272KF	
			VW	1K0407272NJ	
			VW	1K0407272PM	
			VW	1K0407272RB	
			VW	1K0407272RF	
			VW	1K0407272RR	
			VW	1K0407272RD	
			VW	1K0407272TP	
			VW	1K0407454GX	
			VW	1K0407762BX	
			VW	1K0407762PX	
			VW	1K0407764DX	
			VW	1K0407764LX	
			VW	1K0407764TX	
			VW	2K0407272G	
			VW	2K0407272GX	
			VW	3AA407272	
			VW	1K0407272JR	
			VW	3AA407452X	
			VW	1K0407764FX	
			VW	1K0407762AX	
			VW	1K0407272RP	
			VW	1K0407272SB	
			VW	1K0407272RL	

Article number	Brand	Criteria	OE numbers		Comparable numbers
			VW	1K0407272TK	
30-1689	TrakMotive	Outer gearing wheel side	36		
		Seal Diameter [mm]	59.5		
		Number of bores	6	AUDI 8J0407761C	
		Bolt Hole Circle Ø [mm]	94	AUDI 1K0407763BX	
		Length 1 [mm]	529	AUDI 8J0407271GX	
		Length 2 [mm]	572	AUDI 8J0407271G	
		Wheel-side joint diameter [mm]	98	VAG 1K0407271JJ	
		Transmission-side joint diameter [mm]	108	VAG 1K0407761PX	
		Packing unit	1	VW 5C0407271R	
		Quantity per packing unit	1		
		Status	Normal		
30-1690	TrakMotive			AUDI 1K0407271HT	
				AUDI 3Q0407761EX	
				AUDI 3Q0407271D	
				VAG 1K0407271LA	
				VAG 1K0407763CX	
				VAG 1K0407271KP	
		Outer gearing wheel side	36	VAG 1K0407763GX	
		Seal Diameter [mm]	59.5	VAG 1K0407271HQ	
		Number of bores	6	VAG 1K0407761DX	
		Bolt Hole Circle Ø [mm]	86	VAG 1K0407271DS	
		Length 1 [mm]	535	VAG 1K0407761AX	
		Length 2 [mm]	550	VW 1K0407761NX	
		Wheel-side joint diameter [mm]	91	VW 1K0407761NV	
		Transmission-side joint diameter [mm]	100	VW 1K0407761MV	
		Packing unit	1	VW 3Q0407271AR	
Quantity per packing unit	1	VW 3Q0407761DX			
		Status	Normal		
			VW 3Q0407271AS		
			VW 1K0407271HH		
			VW 1K0407761EX		
			VW 1K0407271JF		
			VW 1K0407271JA		
			VW 1K0407761MX		
			VW 1K0407271AS		
30-1691	TrakMotive	Outer gearing wheel side	36		
		Seal Diameter [mm]	59.5		
		Number of bores	6	AUDI 1K0407456DX	
		Bolt Hole Circle Ø [mm]	86	VAG 1K0407272ML	
		Length 1 [mm]	805	VAG 3C0407452CX	
		Length 2 [mm]	820	VW 1K0407272QM	
		Wheel-side joint diameter [mm]	91	VW 1K0407764NX	
		Transmission-side joint diameter [mm]	100	VW 1K0407272NN	
		Packing unit	1	VW 1K0407762LX	
		Quantity per packing unit	1	VW 1K0407272MP	
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1692	TrakMotive	Outer gearing wheel side	36	
		Outer teething differential side	40	
		Seal Diameter [mm]	59.5	
		Length 1 [mm]	532.5	
		Length 2 [mm]	572.5	VW 1K0407271JB
		Wheel-side joint diameter [mm]	91	VW 1K0407761LX
		Transmission-side joint diameter [mm]	98.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1693	TrakMotive	Outer gearing wheel side	36	
		Outer teething differential side	40	
		Seal Diameter [mm]	59.5	
		Length 1 [mm]	800	VW 1K0407272PB
		Length 2 [mm]	840	VW 1K0407762SX
		Wheel-side joint diameter [mm]	91	VW 5N0407764H
		Transmission-side joint diameter [mm]	99.8	VW 5N0407764HX
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1694	TrakMotive			FORD 1686588
				FORD 1840104
				FORD 1840119
				FORD 1840120
				FORD 1840126
		Outer gearing wheel side	27	FORD 1857347
		Outer teething differential side	26	FORD 2006987
		Seal Diameter [mm]	62.8	FORD 2006991
		Length 1 [mm]	975	FORD 2006992
		Length 2 [mm]	1,039.5	FORD AV61-3B436-CB
		Wheel-side joint diameter [mm]	86	FORD AV61-3B436-CC
		Transmission-side joint diameter [mm]	81.5	FORD AV61-3B436-JA
		Packing unit	1	FORD AV61-3B436-JB
		Quantity per packing unit	1	FORD 1713000
Status	Normal	FORD 1756525		
		FORD 1774246		
		FORD 1828480		
		FORD 1828481		
		FORD 1840103		

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1695	TrakMotive	Outer gearing wheel side	27	FORD 1774251	
		Outer teething differential side	23	FORD BV61-3B437-UC	
		Seal Diameter [mm]	62.8	FORD RMBV61-3B437-U2B	
		Length 1 [mm]	654.5	FORD RMBV61-3B437-U2C	
		Length 2 [mm]	699.5		
		Wheel-side joint diameter [mm]	83	FORD 1777140	
		Transmission-side joint diameter [mm]	75.5	FORD 1818932	
		Packing unit	1	FORD 1840153	
		Quantity per packing unit	1	FORD 1840155	
		Status	Normal	FORD BV61-3B437-UA FORD BV61-3B437-UB	
30-1696	TrakMotive	Outer gearing wheel side	27	FORD 1774248	
		Outer teething differential side	23	FORD BV61-3B436-UC	
		Seal Diameter [mm]	62.8	FORD RMBV61-3B436-U2B	
		Length 1 [mm]	973	FORD RMBV61-3B436-U2C	
		Length 2 [mm]	1,008.5		
		Wheel-side joint diameter [mm]	83	FORD 1777139	
		Transmission-side joint diameter [mm]	76	FORD 1818930	
		Packing unit	1	FORD 1840127	
		Quantity per packing unit	1	FORD 1840129	
		Status	Normal	FORD BV61-3B436-UA FORD BV61-3B436-UB	
30-1697	TrakMotive	Outer gearing wheel side	27	FORD 1686592	
		Outer teething differential side	26	FORD BV61-3B437-TA FORD BV61-3B437-TB	
		Seal Diameter [mm]	62.8	FORD F1F6-3B437-GA	
		Length 1 [mm]	637	FORD RMAV61-3B437-C2B	
		Length 2 [mm]	687.5	FORD RMAV61-3B437-C2C	
		Wheel-side joint diameter [mm]	86	FORD RMBV61-3B437-T2A	
		Transmission-side joint diameter [mm]	81.5	FORD 1774249	
		Packing unit	1	FORD 1828482	
		Quantity per packing unit	1	FORD 1840141	
		Status	Normal	FORD 1840142 FORD 1840152 FORD 1857348 FORD 2006995 FORD AV61-3B437-CB FORD AV61-3B437-CC	

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1698	TrakMotive	Outer gearing wheel side	30	MERCEDES-BENZ A2463309800	
		Outer teething differential side	27	MERCEDES-BENZ 2463301801	
		Seal Diameter [mm]	64.9	MERCEDES-BENZ A2463303100	
		Length 1 [mm]	501	MERCEDES-BENZ A2463308800	
		Length 2 [mm]	542	MERCEDES-BENZ A2463309400	
		Wheel-side joint diameter [mm]	89	MERCEDES-BENZ A2463309200	
		Transmission-side joint diameter [mm]	94	MERCEDES-BENZ A2463302900	
		Packing unit	1	MERCEDES-BENZ A2463309000	
		Quantity per packing unit	1	MERCEDES-BENZ A2423300100	
		Status	Normal	MERCEDES-BENZ A2463301801	
				MERCEDES-BENZ 2463308800	
				MERCEDES-BENZ 2463302900	
				MERCEDES-BENZ 2423300100	
				MERCEDES-BENZ 2463303100	
				MERCEDES-BENZ A2463303001	
				MERCEDES-BENZ 2463309000	
				MERCEDES-BENZ A2463301201	
				MERCEDES-BENZ 2463309800	
				MERCEDES-BENZ 2463303001	
		MERCEDES-BENZ 2463301201			
30-1700	TrakMotive	Outer gearing wheel side	25		
		Outer teething differential side	27		
		Seal Diameter [mm]	59		
		Length 1 [mm]	550		
		Length 2 [mm]	605.5	ALFA ROMEO 46308089	
		Wheel-side joint diameter [mm]	91		
		Transmission-side joint diameter [mm]	81.5		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1712	TrakMotive	Outer gearing wheel side	29	
		Outer teething differential side	29	
		Seal Diameter [mm]	74	
		Number of Teeth, ABS ring	48	
		Length 1 [mm]	638	LAND ROVER TDB500090
		Length 2 [mm]	689	LAND ROVER LR047293
		Wheel-side joint diameter [mm]	98	LAND ROVER LR072067
		Transmission-side joint diameter [mm]	91	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1713	TrakMotive	Outer gearing wheel side	36	
		Seal Diameter [mm]	51.9	
		Number of bores	6	
		Bolt Hole Circle Ø [mm]	94	
		Length 1 [mm]	786	VAG 6R0407762S
		Length 2 [mm]	833.5	VAG 6R0407762SX
		Wheel-side joint diameter [mm]	98	VAG 6R0407764M
		Transmission-side joint diameter [mm]	108	VAG 6R0407764MX
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1714	TrakMotive	Outer gearing wheel side	30	
		Outer teething differential side	27	
		Seal Diameter [mm]	64.9	MERCEDES-BENZ 2463303100
		Length 1 [mm]	531	MERCEDES-BENZ 2463309400
		Length 2 [mm]	571	
		Wheel-side joint diameter [mm]	89	MERCEDES-BENZ A2463303100
		Transmission-side joint diameter [mm]	94	
		Packing unit	1	MERCEDES-BENZ A2463309400
		Quantity per packing unit	1	
Status	Normal			
30-1715	TrakMotive	Outer gearing wheel side	30	MERCEDES-BENZ 2463302601
		Outer teething differential side	27	
		Seal Diameter [mm]	64.9	MERCEDES-BENZ 2463303200
		Length 1 [mm]	493	
		Length 2 [mm]	533	MERCEDES-BENZ 2463309500
		Wheel-side joint diameter [mm]	89	MERCEDES-BENZ A2463302601
		Transmission-side joint diameter [mm]	94	
		Packing unit	1	MERCEDES-BENZ A2463303200
		Quantity per packing unit	1	
		Status	Normal	MERCEDES-BENZ A2463309500

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1716	TrakMotive	Outer gearing wheel side	40	
		Outer teething differential side	26	
		Seal Diameter [mm]	62	
		Length 1 [mm]	555	VOLVO 30651670
		Length 2 [mm]	595	VOLVO 30783201
		Wheel-side joint diameter [mm]	91	VOLVO 36000363
		Transmission-side joint diameter [mm]	94	VOLVO 36011285
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1717	TrakMotive	Outer gearing wheel side	40	
		Outer teething differential side	26	
		Seal Diameter [mm]	57.5	
		Length 1 [mm]	1,004	
		Length 2 [mm]	1,039	FORD 6G9N3B436CE
		Wheel-side joint diameter [mm]	91	VOLVO 36001194
		Transmission-side joint diameter [mm]	99.8	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1718	TrakMotive	Outer gearing wheel side	40	
		Outer teething differential side	28	
		Seal Diameter [mm]	62.5	
		Length 1 [mm]	1,002.5	
		Length 2 [mm]	1,058	LAND ROVER LR006707
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1719	TrakMotive	Outer gearing wheel side	25	MERCEDES-BENZ A1693601172
		Outer teething differential side	22	MERCEDES-BENZ A1693603972
		Seal Diameter [mm]	59.9	MERCEDES-BENZ A1693605772
		Length 1 [mm]	606	MERCEDES-BENZ A1693606772
		Length 2 [mm]	646	MERCEDES-BENZ A1693607172
		Wheel-side joint diameter [mm]	83	MERCEDES-BENZ A1693607372
		Transmission-side joint diameter [mm]	75	MERCEDES-BENZ A1693607572
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1720	TrakMotive	Outer gearing wheel side	25	MERCEDES-BENZ	1693701272
		Outer teething differential side	27	MERCEDES-BENZ	A1693702872
		Seal Diameter [mm]	60	MERCEDES-BENZ	A1693704672
		Length 1 [mm]	955	MERCEDES-BENZ	A1693704772
		Length 2 [mm]	1,013.5	MERCEDES-BENZ	A1693704772
		Wheel-side joint diameter [mm]	89	MERCEDES-BENZ	A1693704872
		Transmission-side joint diameter [mm]	81.5	MERCEDES-BENZ	A1693705672
		Packing unit	1	MERCEDES-BENZ	A1693706472
		Quantity per packing unit	1	MERCEDES-BENZ	
		Status	Normal	MERCEDES-BENZ	
30-1721	TrakMotive	Outer gearing wheel side	25		
		Outer teething differential side	27	MERCEDES-BENZ	A1693701572
		Seal Diameter [mm]	60	MERCEDES-BENZ	A1693702772
		Length 1 [mm]	615	MERCEDES-BENZ	A1693705572
		Length 2 [mm]	673.5	MERCEDES-BENZ	
		Wheel-side joint diameter [mm]	89	MERCEDES-BENZ	
		Transmission-side joint diameter [mm]	81.5	MERCEDES-BENZ	
		Packing unit	1	MERCEDES-BENZ	A1693706372
		Quantity per packing unit	1		
		Status	Normal		
30-1722	TrakMotive	Outer gearing wheel side	36	AUDI	6C0407271AC
		Seal Diameter [mm]	51.9	AUDI	6R0407761B
		Number of bores	6	AUDI	6R0407761BX
		Bolt Hole Circle Ø [mm]	86	SEAT	6R0407761B
		Length 1 [mm]	500	SEAT	6R0407761BX
		Length 2 [mm]	521	SKODA	6C0407451BX
		Wheel-side joint diameter [mm]	91	SKODA	6R0407761B
		Transmission-side joint diameter [mm]	100	SKODA	6R0407761BX
		Packing unit	1	VW	6R0407761BX
		Quantity per packing unit	1	VW	6C0407271AC
Status	Normal	VW	6R0407761B		
30-1723	TrakMotive	Outer gearing wheel side	25		
		Outer teething differential side	24		
		Seal Diameter [mm]	58.4	CITROËN	3273.VK
		Length 1 [mm]	876.5	CITROËN	3273.VL
		Length 2 [mm]	914	PEUGEOT	1609763780
		Wheel-side joint diameter [mm]	83	PEUGEOT	3273.VK
		Transmission-side joint diameter [mm]	82	PEUGEOT	9677211480
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1724	TrakMotive	Outer gearing wheel side	21		
		Outer teething differential side	24		
		Seal Diameter [mm]	48.3		
		Length 1 [mm]	868	CITROËN 3273.WA	
		Length 2 [mm]	908.5	CITROËN 3273.WC	
		Wheel-side joint diameter [mm]	83	PEUGEOT 3273.WA	
		Transmission-side joint diameter [mm]	82		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		
30-1725	TrakMotive	Outer gearing wheel side	25	CITROËN 1607735380	
		Outer teething differential side	22	CITROËN 1607735480	
		Seal Diameter [mm]	51	CITROËN 1608901980	
		Length 1 [mm]	658	CITROËN 3272.SL	
		Length 2 [mm]	699	CITROËN 3272.SN	
		Wheel-side joint diameter [mm]	79	PEUGEOT 1607735380	
		Transmission-side joint diameter [mm]	74	PEUGEOT 1608901980	
		Packing unit	1	PEUGEOT 3272.SL	
		Quantity per packing unit	1	PEUGEOT 3272.SN	
		Status	Normal		
30-1726	TrakMotive	Outer gearing wheel side	25	CITROËN 1607734980	
		Outer teething differential side	22	CITROËN 3273.TC	
		Seal Diameter [mm]	51	CITROËN 3273.TE	
		Length 1 [mm]	886		
		Length 2 [mm]	926	PEUGEOT 1607734980	
		Wheel-side joint diameter [mm]	79	PEUGEOT 3273.TC	
		Transmission-side joint diameter [mm]	74.2	PEUGEOT 3273.TE	
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		
30-1727	TrakMotive	Outer gearing wheel side	28	HONDA 44305S9A000	
		Outer teething differential side	27	HONDA 44305SCAG00	
		Seal Diameter [mm]	63	HONDA 44305S9AN00	
		Length 1 [mm]	618		
		Wheel-side joint diameter [mm]	89		
		Transmission-side joint diameter [mm]	81.5		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1728	TrakMotive	Outer gearing wheel side	40	LAND ROVER LR002621
		Outer teething differential side	31	
		Seal Diameter [mm]	62	
		Length 1 [mm]	539	
		Length 2 [mm]	589	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1729	TrakMotive	Outer gearing wheel side	26	MINI 31602756342 MINI 31607589768 MINI 31608605474
		Outer teething differential side	33	
		Seal Diameter [mm]	53.5	
		Length 1 [mm]	902	
		Length 2 [mm]	942.5	
		Wheel-side joint diameter [mm]	82	
		Transmission-side joint diameter [mm]	74.2	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1730	TrakMotive	Outer gearing wheel side	36	SEAT 6R0407762 SEAT 6R0407762X SKODA 6R0407762 SKODA 6R0407762X VW 6R0407762 VW 6R0407762X
		Number of bores	6	
		Bolt Hole Circle Ø [mm]	78	
		Length 1 [mm]	765.5	
		Length 2 [mm]	779	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	94	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1731	TrakMotive	Outer gearing wheel side	36	AUDI 6R0407762A AUDI 6R0407762AX SEAT 6R0407762A SEAT 6R0407762AX SKODA 6R0407762A SKODA 6R0407762AX VW 6R0407762A VW 6R0407762AX
		Number of bores	6	
		Bolt Hole Circle Ø [mm]	86	
		Length 1 [mm]	783	
		Length 2 [mm]	796	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	100	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1732	TrakMotive	Outer gearing wheel side	24	
		Outer teething differential side	25	
		Seal Diameter [mm]	52.5	
		Number of Teeth, ABS ring	48	
		Length 1 [mm]	597	
		Length 2 [mm]	639.5	HYUNDAI 495000X400
		Wheel-side joint diameter [mm]	75	HYUNDAI 495000X404
		Transmission-side joint diameter [mm]	70	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1733	TrakMotive		MERCEDES-BENZ	A1693605272
			MERCEDES-BENZ	A1693606072
			MERCEDES-BENZ	A1693606272
			MERCEDES-BENZ	A1693608272
			MERCEDES-BENZ	A1693606972
			MERCEDES-BENZ	A1693607672
			MERCEDES-BENZ	A1693607872
			MERCEDES-BENZ	A1693608072
			MERCEDES-BENZ	A1693601272
			MERCEDES-BENZ	1693605272
			MERCEDES-BENZ	A1693606572
			MERCEDES-BENZ	1693606872
			MERCEDES-BENZ	A1693606872
			MERCEDES-BENZ	1693604072
			MERCEDES-BENZ	1693606072
			MERCEDES-BENZ	1693606272
			MERCEDES-BENZ	1693606572
			MERCEDES-BENZ	1693606972
			MERCEDES-BENZ	A1693604072
			MERCEDES-BENZ	1693607672
	MERCEDES-BENZ	1693607872		
	MERCEDES-BENZ	1693608072		
	MERCEDES-BENZ	1693608272		
	MERCEDES-BENZ	1693601272		
		Outer gearing wheel side	25	
		Outer teething differential side	22	
		Seal Diameter [mm]	59.9	
		Length 1 [mm]	975	
		Length 2 [mm]	1,020	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	75	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers	
30-1734	TrakMotive	Outer gearing wheel side	25	MERCEDES-BENZ A1693760242	
		Outer teething differential side	27	MERCEDES-BENZ A1693702872	
		Seal Diameter [mm]	60.3	MERCEDES-BENZ A1693704672	
		Length 1 [mm]	950	MERCEDES-BENZ A1693704772	
		Length 2 [mm]	1,015.5	MERCEDES-BENZ A1693704872	
		Wheel-side joint diameter [mm]	86	MERCEDES-BENZ A1693705672	
		Transmission-side joint diameter [mm]	81.5	MERCEDES-BENZ A1693706472	
		Packing unit	1	MERCEDES-BENZ A1693605700	
		Quantity per packing unit	1	MERCEDES-BENZ 1693605700	
		Status	Normal	MERCEDES-BENZ 1693701272	
				MERCEDES-BENZ 1693702872	
				MERCEDES-BENZ 1693704672	
				MERCEDES-BENZ 1693704772	
				MERCEDES-BENZ 1693704872	

30-1735	TrakMotive	Outer gearing wheel side	24		
		Outer teething differential side	25		
		Seal Diameter [mm]	52.5		
		Number of Teeth, ABS ring	48		
		Length 1 [mm]	872	HYUNDAI 49500 0X310	
		Length 2 [mm]	914.5	HYUNDAI 49500-0X410	
		Wheel-side joint diameter [mm]	70	HYUNDAI 49500-0X414	
		Transmission-side joint diameter [mm]	70		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1736	TrakMotive	Outer gearing wheel side	25	
		Outer teething differential side	23	FORD 1690355
		Seal Diameter [mm]	56.4	FORD 5024574
		Length 1 [mm]	608	FORD 5024575
		Length 2 [mm]	641.5	FORD 5026653
		Wheel-side joint diameter [mm]	79	FORD R91AX-3220-CA
		Transmission-side joint diameter [mm]	74.2	FORD R91AX-3220-DA
		Packing unit	1	FORD R92AX-3220-DA
		Quantity per packing unit	1	FORD RE91AX-3220-C1A
		Status	Normal	
30-1737	TrakMotive	Outer gearing wheel side	23	
		Outer teething differential side	23	
		Seal Diameter [mm]	57.5	
		Number of Teeth, ABS ring	44	
		Length 1 [mm]	724.5	RENAULT 77 11 134 459
		Length 2 [mm]	768	RENAULT 82 00 027 842
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	81	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1740	TrakMotive	Outer teething differential side	36	
		Seal Diameter [mm]	53	
		Number of bores	6	
		Bolt Hole Circle Ø [mm]	94	
		Length 1 [mm]	519	AUDI 8J0407271N
		Length 2 [mm]	544	AUDI 8N0407271NX
		Wheel-side joint diameter [mm]	86	AUDI 8N0407451X
		Transmission-side joint diameter [mm]	108	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1741	TrakMotive	Outer gearing wheel side	79	
		Outer teething differential side	25	
		Internal Teeth, wheel side	27	
		Seal Diameter [mm]	60	
		Number of Teeth, ABS ring	48	
		Joint Type	Tripod Joint	HYUNDAI 495012L010
		Length 1 [mm]	675	KIA 495012L000
		Length 2 [mm]	720	
		Transmission-side joint diameter [mm]	82	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1742	TrakMotive	Outer gearing wheel side	79	
		Outer teething differential side	25	
		Internal Teeth, wheel side	27	
		Seal Diameter [mm]	60	
		Number of Teeth, ABS ring	46	
		Joint Type	Tripod Joint	HYUNDAI 495002L000
		Length 1 [mm]	942	HYUNDAI 495002L010
		Length 2 [mm]	980.5	KIA 495002L000
		Transmission-side joint diameter [mm]	76	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1743	TrakMotive	Outer gearing wheel side	98	
		Outer teething differential side	42	
		Internal Teeth, wheel side	44	
		Seal Diameter [mm]	72.3	
		Joint Type	Tripod Joint	VW 2N0 407 271 D
		Length 1 [mm]	722.5	VW 2N0 407 271 G
		Length 2 [mm]	776	VW 2N0 407 451 X
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1744	TrakMotive	Outer gearing wheel side	81	
		Internal Teeth, wheel side	36	
		Seal Diameter [mm]	59.5	
		Number of bores	6	SEAT 1K0 407 271 AP
		Bolt Hole Circle Ø [mm]	78	SEAT 1K0 407 451 X
		Length 1 [mm]	562	SKODA 1K0 407 271 AP
		Length 2 [mm]	576	SKODA 1K0 407 451 X
		Transmission-side joint diameter [mm]	94	VW 1K0 407 271 AP
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers		
30-1745	TrakMotive	Outer gearing wheel side	81			
		Internal Teeth, wheel side	36			
		Seal Diameter [mm]	59.5	SEAT	1K0 407 272 BS	
		Number of bores	6	SEAT	1K0 407 272 DM	
		Bolt Hole Circle Ø [mm]	78	SEAT	1K0 407 452 X	
		Length 1 [mm]	780	SKODA	1K0 407 272 DM	
		Length 2 [mm]	794	SKODA	1K0 407 452 X	
		Transmission-side joint diameter [mm]	94	VW	1K0 407 272 DM	
		Packing unit	1	VW	1K0 407 452 X	
		Quantity per packing unit	1			
		Status	Normal			
30-1746	TrakMotive	Outer gearing wheel side	83	RENAULT	39 10 163 76R	
		Outer teething differential side	26	RENAULT	77 11 135 422	
		Internal Teeth, wheel side	23	RENAULT	77 11 368 284	
		Seal Diameter [mm]	49	RENAULT	77 11 497 634	
		Joint Type	Tripod Joint	RENAULT	82 00 167 535	
		Length 1 [mm]	672	RENAULT	82 00 264 664	
		Length 2 [mm]	708	RENAULT	82 00 356 803	
		Transmission-side joint diameter [mm]	75.5	RENAULT	82 00 432 515	
		Packing unit	1	RENAULT	82 00 511 116	
		Quantity per packing unit	1	RENAULT	82 00 623 807	
		Status	Normal	RENAULT	82 00 626 043	
		RENAULT	82 00 661 557			
		RENAULT	82 00 690 053			
		RENAULT	39 10 167 76R			
		RENAULT	391010737R			
30-1747	TrakMotive	Outer gearing wheel side	76.5			
		Outer teething differential side	26			
		Internal Teeth, wheel side	23			
		Seal Diameter [mm]	49			
		Joint Type	Tripod Joint			
		Length 1 [mm]	916	RENAULT	39 10 053 38R	
		Length 2 [mm]	963.5	RENAULT	39 10 056 24R	
		Transmission-side joint diameter [mm]	70			
		Packing unit	1			
		Quantity per packing unit	1			
Status	Normal					

Article number	Brand	Criteria		OE numbers	Comparable numbers
30-1748	TrakMotive	Outer gearing wheel side	98		
		Outer teething differential side	42		
		Internal Teeth, wheel side	44		
		Seal Diameter [mm]	72.3		
		Joint Type	Tripod Joint		VW 2N0 407 272 F
		Length 1 [mm]	1,088		VW 2N0 407 272 J
		Length 2 [mm]	1,141		VW 2N0 407 452 X
		Transmission-side joint diameter [mm]	89		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
30-1749	TrakMotive			AUDI	701407271B
				AUDI	701407271BV
		Fitting Position	Axle Position 1	AUDI	701407271BX
		Outer gearing wheel side	38	AUDI	701407449X
		Seal Diameter [mm]	60	SEAT	701407271B
		Number of Holes	6	SEAT	701407271BV
		Bolt Hole Circle Ø [mm]	94	SEAT	701407271BX
		Length 1 [mm]	527.5	SEAT	701407449X
		Length 2 [mm]	538	SKODA	701407271BV
		Wheel-side joint diameter [mm]	98	SKODA	701407271BX
		Transmission-side joint diameter [mm]	108	SKODA	701407449X
				SKODA	701407271B
		Packing unit	1	VW	701407271B
		Quantity per packing unit	1	VW	701407271BV
Status	Normal	VW	701407271BX		
		VW	701407449X		
30-1753	TrakMotive	Outer gearing wheel side	36		
		Outer teething differential side	26		
		Seal Diameter [mm]	56		
		Length 1 [mm]	530		
		Wheel-side joint diameter [mm]	89		FORD 1477842
		Transmission-side joint diameter [mm]	82.5		FORD 3M51-3B437-RK
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1754	TrakMotive	Outer gearing wheel side	40	
		Outer teething differential side	28	FORD 1675007
		Seal Diameter [mm]	56	FORD 1754170
		Length 1 [mm]	595	FORD 1786064
		Length 2 [mm]	650.5	FORD 1803658
		Wheel-side joint diameter [mm]	91	FORD AG91-3B437-JB
		Transmission-side joint diameter [mm]	91	FORD AG91-3B437-JC
		Packing unit	1	FORD RM8G91-3B437-B1A
		Quantity per packing unit	1	
		Status	Normal	
30-1755	TrakMotive	Outer gearing wheel side	40	
		Outer teething differential side	26	
		Seal Diameter [mm]	56	
		Length 1 [mm]	604	
		Length 2 [mm]	654.5	FORD 1667774
		Wheel-side joint diameter [mm]	91	FORD 6G91-3B437-BE
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1756	TrakMotive	Outer gearing wheel side	40	
		Outer teething differential side	26	
		Seal Diameter [mm]	56	
		Length 1 [mm]	948.5	
		Length 2 [mm]	1,000	FORD 1788202
		Wheel-side joint diameter [mm]	91	FORD 6G91-3B436-FE
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1757	TrakMotive	Outer gearing wheel side	28	FORD 1749218
		Outer teething differential side	29	FORD 1945327
		Seal Diameter [mm]	61	FORD 2039603
		Length 1 [mm]	567	FORD 2053435
		Length 2 [mm]	621	FORD 2124797
		Wheel-side joint diameter [mm]	91	FORD 5345951
		Transmission-side joint diameter [mm]	89	FORD AB39-3A427-CA
		Packing unit	1	FORD AB39-3A427-DA
		Quantity per packing unit	1	FORD EB3G-3A427-BB
		Status	Normal	FORD EB3G-3A427-CA

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1758	TrakMotive	Outer gearing wheel side	27	JAGUAR C2S40435
		Outer teething differential side	26	
		Seal Diameter [mm]	56	
		Length 1 [mm]	630	
		Length 2 [mm]	677.5	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	82.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1759	TrakMotive	Outer gearing wheel side	27	JAGUAR C2S40434
		Outer teething differential side	26	
		Seal Diameter [mm]	56	
		Length 1 [mm]	955	
		Length 2 [mm]	1,003.5	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	84	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1760	TrakMotive	Outer gearing wheel side	25	RENAULT 8200725499
		Outer teething differential side	26	
		Seal Diameter [mm]	52.7	
		Length 1 [mm]	678	
		Length 2 [mm]	722	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	79	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1761	TrakMotive	Outer gearing wheel side	29	NISSAN 38225JD22B NISSAN 39101JD02B NISSAN 39101JD52B
		Outer teething differential side	26	
		Seal Diameter [mm]	56	
		Length 1 [mm]	693.5	
		Length 2 [mm]	756	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	84	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1762	TrakMotive	Outer gearing wheel side	29	NISSAN 39100BB32B NISSAN 39100JD52B
		Outer teething differential side	26	
		Seal Diameter [mm]	56	
		Length 1 [mm]	938.5	
		Length 2 [mm]	994	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	75.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1763	TrakMotive	Outer gearing wheel side	21	CITROËN 1612690280 CITROËN 3273WA CITROËN 3273WC CITROËN 9801048680
		Outer teething differential side	24	
		Seal Diameter [mm]	48.3	
		Length 1 [mm]	863	
		Length 2 [mm]	904	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	82	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1764	TrakMotive	Outer gearing wheel side	28	FORD 1495672 FORD 1782551 FORD 6C11-3B436-BE
		Outer teething differential side	36	
		Seal Diameter [mm]	59	
		Length 1 [mm]	1,059	
		Length 2 [mm]	1,101.5	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1765	TrakMotive	Packing unit	1	FORD 1712273 FORD BV61-3B436-CB
		Quantity per packing unit	1	
		Status	Normal	
30-1766	TrakMotive	Packing unit	1	MITSUBISHI 3815A308 MITSUBISHI MR580692
		Quantity per packing unit	1	
		Status	Normal	
30-1767	TrakMotive	Packing unit	1	MITSUBISHI 3815A307 MITSUBISHI MN107605
		Quantity per packing unit	1	
		Status	Normal	
30-1768	TrakMotive	Packing unit	1	HONDA 44035SWY010
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1769	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	HONDA 44306SWY010
30-1770	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	FORD 1774281 FORD BK21-3B437-BB
30-1771	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	FORD 1774277 FORD BK21-3B436-BB
30-1772	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	FIAT 51794995 FIAT 51861636
30-1773	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	FORD 1682459 FORD 1860765
30-1774	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	HONDA 44305SJHE02
30-1775	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	HONDA 44305-SMT-G00
30-1776	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	FORD 1749219 FORD 1945373 FORD 2053156 FORD 2124799 FORD 5345953 FORD AB39-3A428-CA FORD AB39-3A428-CC FORD EB3G-3A428-BB FORD EB3G-3A428-CA FORD EB3G-3A428-EA
30-1777	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	
30-1778	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	FORD 1827181 FORD AG91-3B436-JD
30-1779	TrakMotive	Packing unit Quantity per packing unit Status	1 1 Normal	MERCEDES-BENZ A2113501656

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1780	TrakMotive	Outer gearing wheel side	36	
		Seal Diameter [mm]	52	
		Number of bores	6	
		Bolt Hole Circle Ø [mm]	86	
		Length 1 [mm]	494	AUDI 6C0407271AC
		Length 2 [mm]	506.5	AUDI 6R0407761A
		Wheel-side joint diameter [mm]	89	AUDI 6R0407761AX
		Transmission-side joint diameter [mm]	100	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1781	TrakMotive	Outer gearing wheel side	36	
		Seal Diameter [mm]	59.5	
		Number of bores	6	
		Bolt Hole Circle Ø [mm]	94	
		Length 1 [mm]	515	VAG 5N0407763D
		Length 2 [mm]	562	VAG 5N0407763DX
		Wheel-side joint diameter [mm]	98	
		Transmission-side joint diameter [mm]	108	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1782	TrakMotive	Outer gearing wheel side	24	
		Outer teething differential side	23	
		Seal Diameter [mm]	58	
		Number of Teeth, ABS ring	48	
		Length 1 [mm]	866	FORD 1594946
		Length 2 [mm]	908.5	FORD 8V41-3B437-AC
		Wheel-side joint diameter [mm]	70	
		Transmission-side joint diameter [mm]	67.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1783	TrakMotive	Outer gearing wheel side	29	
		Outer teething differential side	29	
		Seal Diameter [mm]	56	
		Length 1 [mm]	650	
		Length 2 [mm]	712.5	NISSAN 39101JD72B
		Wheel-side joint diameter [mm]	98	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1784	TrakMotive	Outer gearing wheel side	29	NISSAN 38225JD22B NISSAN 39101JD02B
		Outer teething differential side	26	
		Seal Diameter [mm]	56	
		Length 1 [mm]	692	
		Length 2 [mm]	751.5	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	76	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1785	TrakMotive	Outer gearing wheel side	30	HYUNDAI 49500-2B750
		Outer teething differential side	28	
		Seal Diameter [mm]	73	
		Number of Teeth, ABS ring	52	
		Length 1 [mm]	654	
		Length 2 [mm]	703.5	
		Wheel-side joint diameter [mm]	98	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1786	TrakMotive	Outer gearing wheel side	28	FORD 1454573 FORD 6M34-3B436-DA
		Outer teething differential side	28	
		Seal Diameter [mm]	61	
		Number of Teeth, ABS ring	44	
		Length 1 [mm]	490	
		Wheel-side joint diameter [mm]	89	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1787	TrakMotive	Outer gearing wheel side	26	TOYOTA 4342005380
		Outer teething differential side	24	
		Seal Diameter [mm]	58	
		Number of Teeth, ABS ring	48	
		Length 1 [mm]	604	
		Length 2 [mm]	651.5	
		Wheel-side joint diameter [mm]	91	
		Transmission-side joint diameter [mm]	89	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1788	TrakMotive	Outer gearing wheel side	25	
		Outer teething differential side	27	
		Seal Diameter [mm]	59.9	
		Length 1 [mm]	615	
		Length 2 [mm]	667.5	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	74.2	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1789	TrakMotive	Outer gearing wheel side	23	
		Outer teething differential side	22	
		Seal Diameter [mm]	46	
		Number of Teeth, ABS ring	40	
		Length 1 [mm]	828	
		Length 2 [mm]	861	CHEVROLET 96897322
		Wheel-side joint diameter [mm]	71.5	
		Transmission-side joint diameter [mm]	67.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
30-1790	TrakMotive	Outer gearing wheel side	36	
		Seal Diameter [mm]	59.5	
		Number of bores	6	
		Bolt Hole Circle Ø [mm]	100	VAG 7N0407764D
		Length 1 [mm]	759	VAG 7N0407764R
		Wheel-side joint diameter [mm]	91	VAG 7N0407764RX
		Transmission-side joint diameter [mm]	119	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1791	TrakMotive	Outer gearing wheel side	26	
		Outer teething differential side	27	
		Seal Diameter [mm]	60	
		Number of Teeth, ABS ring	50	
		Length 1 [mm]	593	
		Length 2 [mm]	642.5	HONDA 44306S2H951
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
30-1792	TrakMotive	Outer gearing wheel side	26	HONDA 44305SMGE00
		Outer teething differential side	27	
		Seal Diameter [mm]	58	
		Length 1 [mm]	594	
		Length 2 [mm]	643.5	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	81.5	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
30-1793	TrakMotive	Outer gearing wheel side	26	HONDA 44305-TF0-J00
		Outer teething differential side	25	
		Seal Diameter [mm]	52	
		Length 1 [mm]	901	
		Length 2 [mm]	945.5	
		Wheel-side joint diameter [mm]	83	
		Transmission-side joint diameter [mm]	74.2	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
Joint Kit, drive shaft				
40-0496	TrakMotive	Length [mm]	152	
		Outer gearing wheel side	27	
		Internal Teeth, wheel side	24	
		Seal Diameter [mm]	59.9	
		Number of Teeth, ABS ring	46	
		Joint Type	CV Joint	
		Joint Diameter [mm]	84	
		Specification	Groove Type:Middle	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0500	TrakMotive	Length [mm]	134	
		Outer gearing wheel side	26	
		Internal Teeth, wheel side	27	
		Seal Diameter [mm]	52	
		Joint Type	CV Joint	
		Joint Diameter [mm]	80	
		Specification	Groove Type:Middle	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0538	TrakMotive	Length [mm]	150	
		Outer gearing wheel side	24	
		Internal Teeth, wheel side	21	
		Seal Diameter [mm]	52.5	
		Joint Type	CV Joint	
		Joint Diameter [mm]	75	
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0539	TrakMotive	Length [mm]	129.5	
		Outer gearing wheel side	27	
		Internal Teeth, wheel side	30	
		Seal Diameter [mm]	52	
		Joint Type	CV Joint	
		Joint Diameter [mm]	76.7	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0541	TrakMotive	Length [mm]	153.5	
		Outer gearing wheel side	26	
		Internal Teeth, wheel side	30	
		Seal Diameter [mm]	58	
		Joint Type	CV Joint	
		Joint Diameter [mm]	83	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0542	TrakMotive	Length [mm]	165	
		Outer gearing wheel side	29	
		Internal Teeth, wheel side	27	
		Seal Diameter [mm]	74	
		Number of Teeth, ABS ring	48	
		Joint Type	CV Joint	
		Joint Diameter [mm]	100	
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0543	TrakMotive	Length [mm]	157.5	
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	29	
		Seal Diameter [mm]	68	
		Number of Teeth, ABS ring	48	
		Joint Type	CV Joint	
		Joint Diameter [mm]	106	
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
40-0544	TrakMotive	Length [mm]	148.5	
		Outer gearing wheel side	25	
		Internal Teeth, wheel side	21	
		Seal Diameter [mm]	49.2	
		Joint Type	CV Joint	
		Joint Diameter [mm]	75	
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
		40-0545	TrakMotive	Length [mm]
Outer gearing wheel side	26			
Internal Teeth, wheel side	22			
Seal Diameter [mm]	58			
Joint Type	CV Joint			
Joint Diameter [mm]	79			
Specification	Groove Type:Middle			
Protective Sleeve Material	Elastomer			
Packing unit	1			
Quantity per packing unit	1			
Status	Normal			
40-0625	TrakMotive			Length [mm]
		Outer gearing wheel side	27	
		Internal Teeth, wheel side	22	
		Seal Diameter [mm]	56.6	
		Joint Type	CV Joint	
		Joint Diameter [mm]	79	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0627	TrakMotive	Length [mm]	156	
		Outer gearing wheel side	31	
		Internal Teeth, wheel side	36	
		Seal Diameter [mm]	65	
		Number of Teeth, ABS ring	44	
		Joint Type	CV Joint	
		Joint Diameter [mm]	91	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
40-0628	TrakMotive	Length [mm]	145.5	
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	27	
		Seal Diameter [mm]	65	
		Joint Type	CV Joint	
		Joint Diameter [mm]	98	
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
		40-0629	TrakMotive	Length [mm]
Outer gearing wheel side	25			
Internal Teeth, wheel side	29			
Seal Diameter [mm]	49			
Joint Type	CV Joint			
Joint Diameter [mm]	79			
Specification	Groove Type:Inner			
Protective Sleeve Material	Elastomer			
Packing unit	1			
Quantity per packing unit	1			
Status	Normal			
40-0710	TrakMotive			Length [mm]
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	35	
		Seal Diameter [mm]	67.8	
		Joint Type	CV Joint	
		Joint Diameter [mm]	89	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0711	TrakMotive	Length [mm]	146.4	
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	35	
		Seal Diameter [mm]	68	
		Joint Type	CV Joint	
		Joint Diameter [mm]	89	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0712	TrakMotive	Length [mm]	169	
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	36	
		Seal Diameter [mm]	64	
		Joint Type	CV Joint	
		Joint Diameter [mm]	91	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0713	TrakMotive	Length [mm]	150.5	
		Outer gearing wheel side	26	
		Internal Teeth, wheel side	23	
		Seal Diameter [mm]	58	
		Joint Type	CV Joint	
		Joint Diameter [mm]	88	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0750	TrakMotive	Length [mm]	151	
		Outer gearing wheel side	26	
		Internal Teeth, wheel side	24	
		Seal Diameter [mm]	56	
		Joint Type	CV Joint	
		Joint Diameter [mm]	83	
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0751	TrakMotive	Length [mm]	30	
		Int.teeth, diff.side, conn.to conn.shaft	25	
		Joint Type	Disc Joint	
		Joint Diameter [mm]	100	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
40-0752	TrakMotive	Fitting Position	Wheel Side	
		Fitting Position	Front Axle Left	
		Fitting Position	Front Axle Right	
		Length [mm]	153.4	
		Outer gearing wheel side	27	HYUNDAI 495003K510
		Internal Teeth, wheel side	25	HYUNDAI 495003K860
		Seal Diameter [mm]	62	HYUNDAI 495003K060
		Number of Teeth, ABS ring	47	HYUNDAI 495003K160
		Joint Type	CV Joint	HYUNDAI 495003K110
		Joint Diameter [mm]	88	HYUNDAI 495003K370
		Specification	Groove Type:Middle	HYUNDAI 495003K320
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0753	TrakMotive	Length [mm]	146	
		Outer gearing wheel side	25	
		Internal Teeth, wheel side	33	
		Seal Diameter [mm]	52.5	
		Joint Type	CV Joint	
		Joint Diameter [mm]	89	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0754	TrakMotive	Length [mm]	88	
		Outer gearing wheel side	42	
		Internal Teeth, wheel side	28	
		Seal Diameter [mm]	76.5	
		Joint Type	CV Joint	
		Joint Diameter [mm]	89	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0756	TrakMotive	Length [mm]	122	
		Outer gearing wheel side	36	
		Internal Teeth, wheel side	27	
		Seal Diameter [mm]	56.5	
		Number of Teeth, ABS ring	48	
		Joint Type	CV Joint	
		Joint Diameter [mm]	98	
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
40-0757	TrakMotive	Length [mm]	148	
		Outer gearing wheel side	26	
		Internal Teeth, wheel side	32	
		Seal Diameter [mm]	58.1	
		Joint Type	CV Joint	
		Joint Diameter [mm]	79	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
		40-0758	TrakMotive	Length [mm]
Outer gearing wheel side	29			
Internal Teeth, wheel side	36			
Seal Diameter [mm]	69.8			
Joint Type	CV Joint			
Joint Diameter [mm]	86			
Specification	Groove Type:Inner			
Protective Sleeve Material	Elastomer			
Packing unit	1			
Quantity per packing unit	1			
Status	Normal			
40-0759	TrakMotive			Length [mm]
		Outer gearing wheel side	25	
		Internal Teeth, wheel side	26	
		Seal Diameter [mm]	49	
		Joint Type	CV Joint	
		Joint Diameter [mm]	70	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0760	TrakMotive	Length [mm]	95	
		Outer gearing wheel side	35	
		Internal Teeth, wheel side	27	
		Number of Teeth, ABS ring	48	
		Joint Type	CV Joint	
		Joint Diameter [mm]	79	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0761	TrakMotive	Length [mm]	135.5	
		Outer gearing wheel side	25	
		Internal Teeth, wheel side	30	
		Seal Diameter [mm]	61	
		Number of Teeth, ABS ring	48	
		Joint Type	CV Joint	
		Joint Diameter [mm]	89	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
40-0762	TrakMotive	Length [mm]	140.5	
		Outer gearing wheel side	25	
		Internal Teeth, wheel side	29	
		Seal Diameter [mm]	53	
		Joint Type	CV Joint	
		Joint Diameter [mm]	70	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0763	TrakMotive	Length [mm]	167.5	
		Outer gearing wheel side	26	
		Internal Teeth, wheel side	24	
		Seal Diameter [mm]	61	
		Number of Teeth, ABS ring	48	
		Joint Type	CV Joint	
		Joint Diameter [mm]	84	
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0764	TrakMotive	Length [mm]	147.5	
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	33	
		Seal Diameter [mm]	64.8	
		Joint Type	CV Joint	BMW 31607545125
		Joint Diameter [mm]	89	BMW 31607553945
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0765	TrakMotive	Length [mm]	166	
		Outer gearing wheel side	33	
		Internal Teeth, wheel side	36	
		Seal Diameter [mm]	55.6	
		Joint Type	CV Joint	
		Joint Diameter [mm]	91	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0766	TrakMotive	Length [mm]	112	
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	25	
		Seal Diameter [mm]	71	
		Joint Type	CV Joint	
		Joint Diameter [mm]	89	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0767	TrakMotive	Length [mm]	158	
		Outer gearing wheel side	31	
		Internal Teeth, wheel side	27	
		Seal Diameter [mm]	68.5	
		Joint Type	CV Joint	
		Joint Diameter [mm]	91	
		Specification	Groove Type:Inner	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers	
40-0768	TrakMotive	Length [mm]	178.5		
		Outer gearing wheel side	32		
		Internal Teeth, wheel side	26		
		Seal Diameter [mm]	72		
		Joint Type	CV Joint		
		Joint Diameter [mm]	93		
		Specification	Groove Type:Middle		
		Protective Sleeve Material	Elastomer		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0769	TrakMotive	Length [mm]	73.5		
		Outer gearing wheel side	37		
		Internal Teeth, wheel side	25		
		Seal Diameter [mm]	65		
		Joint Type	CV Joint		
		Joint Diameter [mm]	86		
		Specification	Groove Type:Inner		
		Protective Sleeve Material	Elastomer		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0770	TrakMotive	Length [mm]	226		
		Outer gearing wheel side	26		
		Internal Teeth, wheel side	27		
		Seal Diameter [mm]	60		
		Joint Type	CV Joint		
		Joint Diameter [mm]	91		
		Specification	Groove Type:Middle		
		Protective Sleeve Material	Elastomer		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0771	TrakMotive	Fitting Position	Wheel Side		
		Fitting Position	Front Axle		
		Length [mm]	149.5		
		Outer gearing wheel side	33		
		Internal Teeth, wheel side	22	DAEWOO	96273760
		Seal Diameter [mm]	52	GENERAL MOTORS	96951692
		Joint Type	CV Joint	GENERAL MOTORS	96549104
		Joint Diameter [mm]	81	GENERAL MOTORS	96549104
		Specification	Groove Type:Outer		
		Protective Sleeve Material	Elastomer		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0790	TrakMotive	Fitting Position	Wheel Side	
		Fitting Position	Front Axle Left	
		Length [mm]	113.5	
		Outer gearing wheel side	40	
		Internal Teeth, wheel side	26	
		Seal Diameter [mm]	57.6	
		Joint Type	CV Joint	
		Joint Diameter [mm]	91	
		Specification	Groove Type:Middle	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

40-0796	TrakMotive			CITROËN 3272.1X		
				CITROËN 3272LT		
				CITROËN 3272LX		
				CITROËN 3272PZ		
				CITROËN 3272QA		
				CITROËN 3273LP		
				CITROËN 3273LQ		
				CITROËN 3273LR		
				CITROËN 3273QK		
				CITROËN 3273VK		
				CITROËN 3272.LW		
			Length [mm]	134.5	CITROËN 3272FZ	
			Outer gearing wheel side	25	DS 3272FZ	
			Internal Teeth, wheel side	34	DS 3273VK	
			Seal Diameter [mm]	58.2	DS 3272LT	
			Joint Diameter [mm]	85.5	DS 3272LX	
			Specification	Groove Type:Outer	DS 3272PZ	
			Protective Sleeve Material	Thermoplastic polyester elastomer	DS 3272QA	
			Packing unit	1	DS 3273LP	
			Quantity per packing unit	1	DS 3273LQ	
	Status	Normal	DS 3273LR			
			DS 3273QK			
			PEUGEOT 3272.1X			
			PEUGEOT 3273LR			
			PEUGEOT 3273QK			
			PEUGEOT 3273VK			
			PEUGEOT 3272.LW			
			PEUGEOT 3272FZ			
			PEUGEOT 3272LT			
			PEUGEOT 3272LX			
			PEUGEOT 3272PZ			
			PEUGEOT 3272QA			
			PEUGEOT 3273LP			
			PEUGEOT 3273LQ			

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0797	TrakMotive	Length [mm]	145.5	OPEL 13462049
		Outer gearing wheel side	33	
		Internal Teeth, wheel side	23	
		Seal Diameter [mm]	52	
		Joint Diameter [mm]	79	
		Specification	Groove Type:Middle	
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0798	TrakMotive	Length [mm]	138	PEUGEOT 3272.3C
		Outer gearing wheel side	21	
		Internal Teeth, wheel side	22	
		Seal Diameter [mm]	49.5	
		Number of Teeth, ABS ring	48	
		Joint Diameter [mm]	79	
		Specification	Groove Type:Inner	
		Number of grooves	6	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
40-0799	TrakMotive	Length [mm]	158	MITSUBISHI 3815A009 MITSUBISHI 3815A010 SMART 4543301401 SMART 4543301501 SMART 4543302401
		Outer gearing wheel side	25	
		Internal Teeth, wheel side	23	
		Seal Diameter [mm]	53	
		Joint Diameter [mm]	79	
		Specification	Groove Type:Middle	
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0800	TrakMotive	Length [mm]	151.5	OPEL 374646 OPEL 13296183
		Outer gearing wheel side	33	
		Internal Teeth, wheel side	23	
		Seal Diameter [mm]	52.5	
		Joint Diameter [mm]	83	
		Specification	Groove Type:Middle	
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0801	TrakMotive	Length [mm]	164.5	
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	36	
		Seal Diameter [mm]	65	
		Number of Teeth, ABS ring	48	
		Joint Diameter [mm]	98	HYUNDAI 495002E800
		Specification	Groove Type:Inner	HYUNDAI 495012E800
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0802	TrakMotive	Length [mm]	152.5	
		Outer gearing wheel side	27	
		Internal Teeth, wheel side	24	
		Seal Diameter [mm]	62.8	
		Joint Diameter [mm]	83	FORD 1692088
		Specification	Groove Type:Middle	FORD 1777140
		Number of grooves	6	FORD 1818931
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
40-0803	TrakMotive	Length [mm]	162	
		Outer gearing wheel side	29	
		Internal Teeth, wheel side	33	
		Seal Diameter [mm]	56.2	
		Joint Diameter [mm]	86	NISSAN 39100JD02B
		Specification	Groove Type:Inner	NISSAN 39101JD02B
		Number of grooves	6	NISSAN C9B11JD02B
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
40-0804	TrakMotive	Length [mm]	117	
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	27	MERCEDES-BENZ 2463303100
		Seal Diameter [mm]	64.8	
		Joint Diameter [mm]	98	MERCEDES-BENZ 2463600075
		Specification	Groove Type:Middle	MERCEDES-BENZ A2463303100
		Number of grooves	6	
		Packing unit	1	MERCEDES-BENZ A2463600075
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0805	TrakMotive	Length [mm]	179	
		Outer gearing wheel side	28	
		Internal Teeth, wheel side	36	
		Seal Diameter [mm]	61	
		Number of Teeth, ABS ring	44	FORD 1328094
		Joint Diameter [mm]	89	FORD 1339667
		Specification	Groove Type:Inner	FORD 1362928
		Number of grooves	6	FORD 1362929
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0806	TrakMotive	Length [mm]	198	
		Outer gearing wheel side	28	
		Internal Teeth, wheel side	29	
		Seal Diameter [mm]	57	
		Number of Teeth, ABS ring	48	
		Joint Diameter [mm]	98	
		Specification	Groove Type:Middle	
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0807	TrakMotive	Length [mm]	196.7	
		Outer gearing wheel side	31	
		Internal Teeth, wheel side	30	
		Seal Diameter [mm]	57.5	
		Joint Diameter [mm]	98	
		Specification	Groove Type:Inner	
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0808	TrakMotive	Length [mm]	161.6	
		Outer gearing wheel side	29	
		Internal Teeth, wheel side	26	
		Seal Diameter [mm]	62	
		Joint Diameter [mm]	91	
		Specification	Groove Type:Inner	NISSAN C92114ED0A
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers	
40-0809	TrakMotive	Length [mm]	144.5	MINI 31608605467	
		Outer gearing wheel side	26	MINI 31609806473	
		Internal Teeth, wheel side	26	MINI 31608605469	
		Seal Diameter [mm]	53.5	MINI 31608605468	
		Joint Diameter [mm]	86	MINI 31607609212	
		Specification	Groove Type:Middle	MINI 31607609211	
		Number of grooves	6	MINI 31607596060	
		Packing unit	1	MINI 31607596059	
		Quantity per packing unit	1	MINI 31607585381	
		Status	Normal	MINI 31607585382	
				MINI 31602756793	
		MINI 31609806471			
40-0810	TrakMotive	Length [mm]	166.9		
		Outer gearing wheel side	38		
		Internal Teeth, wheel side	30		
		Seal Diameter [mm]	63		
		Joint Diameter [mm]	105	VW 7E0498099CX	
		Specification	Groove Type:Inner	VW 7E0498099C	
		Number of grooves	6		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0812	TrakMotive	Length [mm]	146.4		
		Outer gearing wheel side	28		
		Internal Teeth, wheel side	34	HONDA 44305SEFE00	
		Seal Diameter [mm]	63	HONDA 44306SEFE00	
		Joint Diameter [mm]	91	HONDA 44014SJHE02	
		Specification	Groove Type:Middle	HONDA 44014SJHE00	
		Number of grooves	6	HONDA 44014SEFE01	
		Packing unit	1	HONDA 44014SEFE00	
		Quantity per packing unit	1		
Status	Normal				
40-0813	TrakMotive	Length [mm]	132		
		Outer gearing wheel side	22		
		Internal Teeth, wheel side	26		
		Seal Diameter [mm]	46		
		Joint Diameter [mm]	79	SEAT 1S0498099	
		Specification	Groove Type:Middle	SKODA 1S0498099	
		Number of grooves	6	VW 1S0498099	
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers	
40-0814	TrakMotive	Length [mm]	160	JAGUAR C2S16509 JAGUAR C2S43420	
		Outer gearing wheel side	26		
		Internal Teeth, wheel side	24		
		Seal Diameter [mm]	57.9		
		Number of Teeth, ABS ring	32		
		Joint Diameter [mm]	83		
		Specification	Groove Type:Middle		
		Number of grooves	6		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0815	TrakMotive	Length [mm]	128.5	AUDI 191598099 AUDI 811498099E AUDI 811498099EX AUDI 171407311L AUDI 321407311L AUDI 321407311M AUDI 321498099A AUDI 321498099B AUDI 321498099EX AUDI 321498099F AUDI 811498099F AUDI 305407711C AUDI 377407311C AUDI 5X0498099A	
		Outer gearing wheel side	22		
		Internal Teeth, wheel side	30		
		Seal Diameter [mm]	51		
		Joint Diameter [mm]	81		
		Specification	Groove Type:Outer		
		Number of grooves	6		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		
40-0816	TrakMotive	Length [mm]	151	TOYOTA 4341010150 TOYOTA 4341012120 TOYOTA 4341012130 TOYOTA 4341016060 TOYOTA 4341016050 TOYOTA 4341016080 TOYOTA 4341016090 TOYOTA 4342010150 TOYOTA 4342012020 TOYOTA 4342012021 TOYOTA 4342012030 TOYOTA 4342012082 TOYOTA 4342012060 TOYOTA 4342012090 TOYOTA 4341012020 TOYOTA 4342016050 TOYOTA 4341012021 TOYOTA 4341012050 TOYOTA 4341012060 TOYOTA 4341012080	
		Outer gearing wheel side	26		
		Internal Teeth, wheel side	23		
		Seal Diameter [mm]	56		
		Joint Diameter [mm]	83		
		Specification	Groove Type:Inner		
		Number of grooves	6		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers	
40-0817	TrakMotive	Length [mm]	154		
		Outer gearing wheel side	25		
		Internal Teeth, wheel side	21		
		Seal Diameter [mm]	55		
		Number of Teeth, ABS ring	44	NISSAN	39211BM580
		Joint Diameter [mm]	77.5	NISSAN	39211BM528
		Specification	Groove Type:Middle	RENAULT	39211BM526
		Number of grooves	6		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0818	TrakMotive	Length [mm]	150.5		
		Outer gearing wheel side	25		
		Internal Teeth, wheel side	20		
		Seal Diameter [mm]	50		
		Number of Teeth, ABS ring	38	HYUNDAI	49507-02A10
		Joint Diameter [mm]	72.4	HYUNDAI	4950705A00
		Specification	Groove Type:Inner	HYUNDAI	49508-02A10
		Number of grooves	6	HYUNDAI	4950805A00
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0819	TrakMotive	Length [mm]	170.5		
		Outer gearing wheel side	33		
		Internal Teeth, wheel side	25		
		Seal Diameter [mm]	52	OPEL	3 74 430
		Joint Diameter [mm]	90	OPEL	374003
		Specification	Groove Type:Outer	OPEL	90538595
		Number of grooves	6	OPEL	92100312
		Packing unit	1	OPEL	93176549
		Quantity per packing unit	1		
		Status	Normal		
40-0820	TrakMotive	Length [mm]	140		
		Outer gearing wheel side	25	FIAT	46307886
		Internal Teeth, wheel side	22	FIAT	46308671
		Seal Diameter [mm]	51	FIAT	77365993
		Joint Diameter [mm]	80	LANCIA	46308671
		Specification	Groove Type:Middle	OPEL	16 03 067
		Number of grooves	6	OPEL	95515296
		Packing unit	1	VAUXHALL	16 03 067
		Quantity per packing unit	1	VAUXHALL	95515296
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers	
40-0821	TrakMotive	Outer gearing wheel side	27		
		Internal Teeth, wheel side	22		
		Seal Diameter [mm]	60.1		
		Seal Diameter [mm]	144		
		Number of Teeth, ABS ring	46	HYUNDAI 49500-2K001	
		Joint Diameter [mm]	79	HYUNDAI 49501-2K000	
		Specification	Groove Type:Middle	HYUNDAI 49591-2K001	
		Number of grooves	6	HYUNDAI 49500-2K000	
		Protective Sleeve Material	CR (chloroprene rubber)	HYUNDAI 49591-2K050	
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0822	TrakMotive	Outer gearing wheel side	28		
		Internal Teeth, wheel side	36		
		Seal Diameter [mm]	59.5		
		Seal Diameter [mm]	166		
		Joint Diameter [mm]	91		
		Specification	Groove Type:Inner	JEEP 05085224AE	
		Number of grooves	6	JEEP 05085250AG	
		Protective Sleeve Material	CR (chloroprene rubber)		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		
40-0823	TrakMotive	Outer gearing wheel side	25		
		Internal Teeth, wheel side	35		
		Seal Diameter [mm]	51		
		Seal Diameter [mm]	147.5		
		Joint Diameter [mm]	90.8	VAUXHALL 374651	
		Specification	Groove Type:Inner	VAUXHALL 374653	
		Number of grooves	6	VAUXHALL 93189678	
		Protective Sleeve Material	CR (chloroprene rubber)	VAUXHALL 93189680	
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers	
40-0824	TrakMotive	Outer gearing wheel side	25	CITROËN 3273.QQ	
		Internal Teeth, wheel side	39	CITROËN 3273.TT	
		Seal Diameter [mm]	58.5	CITROËN 3272.TH	
		Seal Diameter [mm]	153	CITROËN 3272.QF	
		Joint Diameter [mm]	98	DS 3272.QF	
		Specification	Groove Type:Inner	DS 3272.TH	
		Number of grooves	6	DS 3273.QQ	
		Protective Sleeve Material	CR (chloroprene rubber)	DS 3273.TT	
		Packing unit	1	PEUGEOT 3273.XR	
		Quantity per packing unit	1	PEUGEOT 3272.QF	
		Status	Normal	PEUGEOT 3272.TH	
				PEUGEOT 3272.WX	
				PEUGEOT 3273.QQ	
		PEUGEOT 3273.TT			
40-0825	TrakMotive	Outer gearing wheel side	27		
		Internal Teeth, wheel side	30		
		Seal Diameter [mm]	52		
		Seal Diameter [mm]	131		
		Joint Diameter [mm]	74.5		
		Specification	Groove Type:Inner	SUBARU 28391-AJ002	
		Number of grooves	6	SUBARU 28391-AJ001	
		Protective Sleeve Material	CR (chloroprene rubber)		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0826	TrakMotive	Outer gearing wheel side	25		
		Internal Teeth, wheel side	21		
		Seal Diameter [mm]	52.5		
		Seal Diameter [mm]	149.5		
		Number of Teeth, ABS ring	48		
		Joint Diameter [mm]	70	HYUNDAI 49500-B9000	
		Specification	Groove Type:Middle	HYUNDAI 49525-C8001	
		Number of grooves	6	HYUNDAI 49526-C8001	
		Protective Sleeve Material	CR (chloroprene rubber)		
		Packing unit	1		
Quantity per packing unit	1				
Status	Normal				

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0827	TrakMotive	Outer gearing wheel side	24	
		Internal Teeth, wheel side	20	
		Seal Diameter [mm]	52.5	
		Seal Diameter [mm]	138.2	
		Number of Teeth, ABS ring	48	
		Joint Diameter [mm]	70	
		Specification	Groove Type:Inner	
		Number of grooves	6	
		Protective Sleeve Material	CR (chloroprene rubber)	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0828	TrakMotive	Outer gearing wheel side	30	
		Internal Teeth, wheel side	25	
		Seal Diameter [mm]	61.2	TOYOTA 43410-0F070
		Seal Diameter [mm]	161.3	TOYOTA 43410-0F071
		Joint Diameter [mm]	90	TOYOTA 43420-0F080
		Specification	Groove Type:Middle	TOYOTA 43420-0F081
		Number of grooves	6	TOYOTA 43470-80240
		Protective Sleeve Material	CR (chloroprene rubber)	TOYOTA 43470-8Z038
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
40-0829	TrakMotive	Outer gearing wheel side	26	
		Internal Teeth, wheel side	23	
		Seal Diameter [mm]	58	
		Seal Diameter [mm]	154	
		Number of Teeth, ABS ring	48	TOYOTA 43460-09A21
		Joint Diameter [mm]	79	TOYOTA 43460-09A22
		Specification	Groove Type:Middle	TOYOTA 43470-09A38
		Number of grooves	6	TOYOTA 43470-09A39
		Protective Sleeve Material	CR (chloroprene rubber)	TOYOTA 43470-09Q30
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0830	TrakMotive	Outer gearing wheel side	26	SUZUKI 44102-84A00
		Internal Teeth, wheel side	29	
		Seal Diameter [mm]	44	
		Seal Diameter [mm]	169	
		Joint Diameter [mm]	74.2	
		Specification	Groove Type:Inner	
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0831	TrakMotive	Outer gearing wheel side	28	
		Internal Teeth, wheel side	32	
		Seal Diameter [mm]	56.5	
		Seal Diameter [mm]	137.5	
		Number of Teeth, ABS ring	44	
		Joint Diameter [mm]	83	
		Specification	Groove Type:Inner	
		Number of grooves	6	
		Protective Sleeve Material	CR (chloroprene rubber)	
Packing unit	1			
Quantity per packing unit	1			
Status	Normal			
40-0832	TrakMotive	Outer gearing wheel side	40	
		Internal Teeth, wheel side	28	
		Seal Diameter [mm]	56.5	
		Seal Diameter [mm]	111	
		Number of Teeth, ABS ring	48	
		Joint Diameter [mm]	91	
		Specification	Groove Type:Inner	
		Number of grooves	6	
		Protective Sleeve Material	CR (chloroprene rubber)	
Packing unit	1			
Quantity per packing unit	1			
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers	
40-0833	TrakMotive	Outer gearing wheel side	25		
		Internal Teeth, wheel side	30		
		Seal Diameter [mm]	54		
		Seal Diameter [mm]	155		
		Number of Teeth, ABS ring	43		
		Joint Diameter [mm]	83		
		Specification	Groove Type:Middle		
		Number of grooves	6		
		Protective Sleeve Material	CR (chloroprene rubber)		
		Packing unit	1		
Quantity per packing unit	1				
Status	Normal				
40-0834	TrakMotive	Outer gearing wheel side	31		
		Internal Teeth, wheel side	28		
		Seal Diameter [mm]	33		
		Seal Diameter [mm]	171.9		
		Number of Teeth, ABS ring	54		
		Joint Diameter [mm]	98	KIA 495004D301	
		Specification	Groove Type:Middle	KIA 495014D301	
		Number of grooves	6		
		Protective Sleeve Material	CR (chloroprene rubber)		
		Packing unit	1		
Quantity per packing unit	1				
Status	Normal				
40-0835	TrakMotive	Outer gearing wheel side	29		
		Internal Teeth, wheel side	36		
		Seal Diameter [mm]	35.9	ALFA ROMEO	K52104590AA
		Seal Diameter [mm]	170		
		Joint Diameter [mm]	91	ALFA ROMEO	K52104701AB
		Specification	Groove Type:Inner	CHRYSLER	52104590AA
		Number of grooves	6	CHRYSLER	52104701AB
		Protective Sleeve Material	CR (chloroprene rubber)	FIAT	K52104590AA
		Packing unit	1	FIAT	K52104701AB
		Quantity per packing unit	1		
Status	Normal				

Article number	Brand	Criteria	OE numbers	Comparable numbers	
40-0836	TrakMotive	Outer gearing wheel side	27	HYUNDAI 49500-A6400	
		Internal Teeth, wheel side	24	HYUNDAI 49500-A6200	
		Seal Diameter [mm]	60	HYUNDAI 49500-A6100	
		Seal Diameter [mm]	152.4	HYUNDAI 49500-A5900	
		Number of Teeth, ABS ring	46	HYUNDAI 49500-A2200	
		Joint Diameter [mm]	83	HYUNDAI 49500-A6500	
		Specification	Groove Type:Middle	HYUNDAI 49501-A6100	
		Number of grooves	6	HYUNDAI 49591-A64A5	
		Protective Sleeve Material	CR (chloroprene rubber)	HYUNDAI 49526-A6201	
		Packing unit	1	HYUNDAI 49526-A6101	
		Quantity per packing unit	1	HYUNDAI 49526-A6001	
		Status	Normal	KIA 49526-A6001	
				KIA 49500-A6100	
				KIA 49500-A6400	
				KIA 49526-A64A5	
		KIA 49526-A6201			
		KIA 49526-A6101			
		KIA 49526-A6001			
		KIA 49501-A6100			
		KIA 49500-A6200			
		KIA 49500-A5900			
		KIA 49500-A2200			
40-0837	TrakMotive	Fitting Position	Axle Position 1		
		Length [mm]	172		
		Outer gearing wheel side	28		
		Internal Teeth, wheel side	26		
		Seal Diameter [mm]	61	FORD 1692096	
		Joint Diameter [mm]	91	FORD 1692097	
		Specification	Groove Type:Inner	FORD AV61-3A327-CA	
		Number of grooves	6	FORD AV61-3A328-CA	
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				
40-0838	TrakMotive	Fitting Position	Axle Position 1		
		Length [mm]	140		
		Outer gearing wheel side	21		
		Internal Teeth, wheel side	22		
		Seal Diameter [mm]	48		
		Number of Teeth, ABS ring	48		
		Joint Diameter [mm]	79		
		Specification	Groove Type:Inner		
		Number of grooves	6		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-0839	TrakMotive	Fitting Position	Axle Position 1	
		Length [mm]	152.5	
		Outer gearing wheel side	27	
		Internal Teeth, wheel side	24	
		Seal Diameter [mm]	62.8	PEUGEOT 32726E
		Joint Diameter [mm]	83	PEUGEOT QVJ1263
		Specification	Groove Type:Middle	
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
40-0840	TrakMotive	Fitting Position	Axle Position 1	
		Length [mm]	151.4	HYUNDAI 49500-1C250
		Outer gearing wheel side	25	HYUNDAI 49500-1E310
		Internal Teeth, wheel side	22	HYUNDAI 49500-1C262
		Seal Diameter [mm]	50	HYUNDAI 49500-1C352
		Number of Teeth, ABS ring	44	HYUNDAI 49500-1C362
		Joint Diameter [mm]	79	HYUNDAI 49500-1E010
		Specification	Groove Type:Middle	HYUNDAI 49500-1E011
		Number of grooves	6	HYUNDAI 49500-1E050
		Packing unit	1	HYUNDAI 49500-1E111
		Quantity per packing unit	1	HYUNDAI 49500-1E150
Status	Normal			
40-0841	TrakMotive	Fitting Position	Axle Position 1	
		Length [mm]	166	
		Outer gearing wheel side	30	
		Internal Teeth, wheel side	36	
		Seal Diameter [mm]	63	
		Number of Teeth, ABS ring	48	TOYOTA 43470-09M10
		Joint Diameter [mm]	95	TOYOTA 43470-09M20
		Specification	Groove Type:Inner	
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
40-0842	TrakMotive	Length [mm]	162.3	MERCEDES-BENZ 0003300036
		Outer gearing wheel side	27	MERCEDES-BENZ 3300036
		Internal Teeth, wheel side	27	MERCEDES-BENZ 3301585
		Seal Diameter [mm]	60	MERCEDES-BENZ 0003301585
		Number of Teeth, ABS ring	48	MERCEDES-BENZ A0003300036
		Joint Diameter [mm]	98	MERCEDES-BENZ 0003301585
		Number of grooves	6	MERCEDES-BENZ A0003300036
		Packing unit	1	MERCEDES-BENZ A0003301585
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
40-9128	TrakMotive	Length [mm]	150.5	
		Outer gearing wheel side	25	
		Internal Teeth, wheel side	22	
		Seal Diameter [mm]	52.4	
		Number of Teeth, ABS ring	48	
		Joint Diameter [mm]	79	HYUNDAI 49500 1C250
		Specification	Groove Type:Middle	HYUNDAI 49500 1C260
		Number of grooves	6	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
45-0088	TrakMotive	Length [mm]	185	
		Outer teething differential side	27	
		Int.teeth, diff.side, conn.to conn.shaft	26	
		Seal Diameter [mm]	44	
		Joint Type	Tripod Joint	
		Joint Diameter [mm]	85.5	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
45-0089	TrakMotive	Length [mm]	146	
		Outer teething differential side	25	
		Int.teeth, diff.side, conn.to conn.shaft	21	
		Seal Diameter [mm]	35	
		Joint Type	Tripod Joint	
		Joint Diameter [mm]	74.2	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
45-0090	TrakMotive	Length [mm]	136.4	
		Outer teething differential side	25	
		Int.teeth, diff.side, conn.to conn.shaft	20	
		Seal Diameter [mm]	35	
		Joint Type	Tripod Joint	
		Joint Diameter [mm]	70.5	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
45-0214	TrakMotive	Length [mm]	34.5	
		Int.teeth, diff.side, conn.to conn.shaft	26	
		Joint Type	Disc Joint	
		Joint Diameter [mm]	100	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
45-0215	TrakMotive	Length [mm]	153	
		Outer teething differential side	29	
		Int.teeth, diff.side, conn.to conn.shaft	35	
		Seal Diameter [mm]	40	
		Joint Type	Tripod Joint	
		Joint Diameter [mm]	89	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
45-0216	TrakMotive	Length [mm]	165	
		Outer teething differential side	25	
		Int.teeth, diff.side, conn.to conn.shaft	29	
		Seal Diameter [mm]	40	
		Joint Type	Tripod Joint	
		Joint Diameter [mm]	69	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
45-0218	TrakMotive	Length [mm]	32	
		Int.teeth, diff.side, conn.to conn.shaft	24	
		Joint Type	Disc Joint	
		Joint Diameter [mm]	80	
		Protective Sleeve Material	Elastomer	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers	
45-0237	TrakMotive	Length [mm]	127	AUDI 5N0498103A	
		Outer gearing wheel side	40	AUDI 5N0498103AX	
		Internal Teeth, wheel side	34	AUDI 5N0498103C	
		Seal Diameter [mm]	47	AUDI 5N0498103CX	
		Joint Diameter [mm]	81.5	SEAT 5N0498103AX	
		Specification	Groove Type:Middle	SEAT 5N0498103CX	
		Number of grooves	6	SKODA 5N0498103AX	
		Packing unit	1	SKODA 5N0498103C	
		Quantity per packing unit	1	SKODA 5N0498103CX	
		Status	Normal	VW 5N0498103A	
				VW 5N0498103AX	
		VW 5N0498103CX			
45-0238	TrakMotive	Outer teething differential side	19		
		Int. teeth, diff.side, conn.to transm.	21		
		Seal Diameter [mm]	31.8		
		Seal Diameter [mm]	99	AUSTIN ADU4378EVA	
		Joint Diameter [mm]	75	ROVER ADU4378EVA	
		Number of grooves	6	ROVER RV705	
		Protective Sleeve Material	CR (chloroprene rubber)		
		Packing unit	1		
		Quantity per packing unit	1		
		Status	Normal		
45-9137	TrakMotive	Outer teething differential side	34		
		Int. teeth, diff.side, conn.to transm.	22		
		Seal Diameter [mm]	35		
		Seal Diameter [mm]	132.5		
		Joint Diameter [mm]	83	OPEL 374136	
		Specification	Groove Type:Middle	OPEL 90348316	
		Number of grooves	6		
		Protective Sleeve Material	CR (chloroprene rubber)		
		Packing unit	1		
		Quantity per packing unit	1		
Status	Normal				

Window Regulator

Article number	Brand	Criteria	OE numbers	Comparable numbers
12-0271	TrakMotive	Number of Doors	4	VW 191837401B
		Fitting Position	Front Axle Left	
		Operating Mode	Manual	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
12-0272	TrakMotive	Number of Doors	4	VW 191837402B
		Fitting Position	Front Axle Right	
		Operating Mode	Manual	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
12-0286	TrakMotive	Number of Doors	4	VW 3AA837461
		Fitting Position	Front Axle Left	
		Operating Mode	Manual	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2023	TrakMotive	Number of Doors	4	AUDI 4L0839461A
		Fitting Position	Rear Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
25-2024	TrakMotive	Number of Doors	4	AUDI 4L0839462A
		Fitting Position	Right Rear	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2027	TrakMotive	Number of Doors	4	AUDI 8U0837461
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Double Rail Window Lift	
25-2028	TrakMotive	Packing unit	1	AUDI 8U0837462
		Quantity per packing unit	1	
		Status	Normal	
		Number of Doors	4	
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
25-2058	TrakMotive	Supplementary Article/Supplementary Info	without electric motor	CHEVROLET 96996226
		Combi Switch Function	with comfort function	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2059	TrakMotive	Fitting Position	Front Axle Right	CHEVROLET 95954796
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
25-2059	TrakMotive	Quantity per packing unit	1	CHEVROLET 95954796
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2105	TrakMotive	Number of Doors	4	MERCEDES-BENZ A2127201579
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
		Status	Normal	
25-2106	TrakMotive	Number of Doors	4	MERCEDES-BENZ A2127201679
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
		Status	Normal	
25-2112	TrakMotive	Number of Doors	2	NISSAN 8070100Q0H RENAULT 807210008R
		Fitting Position	Left Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
		Status	Normal	
25-2113	TrakMotive	Number of Doors	2	NISSAN 8070000Q0H RENAULT 807200008R
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2118	TrakMotive	Number of Doors	4	RENAULT 8200305720
		Fitting Position	Rear Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Single Rail Window Lift	
25-2119	TrakMotive	Packing unit	1	RENAULT 8200305721
		Quantity per packing unit	1	
		Status	Normal	
		Number of Doors	4	
		Fitting Position	Rear Axle Right	
		Operating Mode	Electric	
25-2147	TrakMotive	Supplementary Article/Supplementary Info	without electric motor	VW 5Z3837461
		Combi Switch Function	with comfort function	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2148	TrakMotive	Number of Doors	2	VW 5Z3837462
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
25-2148	TrakMotive	Quantity per packing unit	1	VW 5Z3837462
		Status	Normal	
		Number of Doors	2	
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2153	TrakMotive	Number of Doors	2	
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	OPEL 4408555
		Window Regulator	Single Rail Window Lift	OPEL 7700311821 RENAULT 7700311821
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2377	TrakMotive	Number of Doors	4	
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	VW 5N0837461
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
25-2381	TrakMotive	Number of Doors	4	
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	SKODA 1Z1837461
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
25-2382	TrakMotive	Number of Doors	4	
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	SKODA 1Z1837462
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2383	TrakMotive	Number of Doors	4	
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
25-2384	TrakMotive	Number of Doors	4	
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	VW 3AA837462
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
25-2385	TrakMotive	Number of Doors	4	
		Fitting Position	Rear Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	MAZDA BP4K73590E
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
25-2386	TrakMotive	Number of Doors	4	
		Fitting Position	Left Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Window Regulator	Double Rail Window Lift	HYUNDAI 824712L000
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2387	TrakMotive	Fitting Position	Rear Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	FORD 1738647 VOLVO 31253515
		Window Regulator	Cross-Arm Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2391	TrakMotive	Number of Doors	4	
		Fitting Position	Left Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	PEUGEOT 9221Q2
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2392	TrakMotive	Number of Doors	4	
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	PEUGEOT 9222Q0
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2406	TrakMotive	Number of Doors	2	
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	SMART C0002692V001
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2407	TrakMotive	Number of Doors	2	SMART C0002702V001
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
25-2411	TrakMotive	Number of Doors	4	SKODA 1Z0839462
		Fitting Position	Rear Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
25-2412	TrakMotive	Number of Doors	4	VW 1T1837461
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
25-2414	TrakMotive	Number of Doors	4	TOYOTA 6982002150
		Fitting Position	Left Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Cross-Arm Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2415	TrakMotive	Number of Doors	4	TOYOTA 6981002150
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Cross-Arm Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
25-2520	TrakMotive	Number of Doors	2	BMW 51331977579
		Fitting Position	Left Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Window Regulator	Cross-Arm Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
25-2522	TrakMotive	Number of Doors	2	MINI 51337039451
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			
25-2523	TrakMotive	Number of Doors	2	MINI 51337039452
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2526	TrakMotive	Number of Doors	2	MINI 51332756083
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Double Rail Window Lift	
25-2527	TrakMotive	Packing unit	1	MINI 51332756084
		Quantity per packing unit	1	
		Status	Normal	
		Number of Doors	2	
		Fitting Position	Right Front	
		Operating Mode	Electric	
25-2528	TrakMotive	Supplementary Article/Supplementary Info	without electric motor	VW 1J4839461 VW 1J5839461A
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2529	TrakMotive	Number of Doors	4	VW 1J4839462 VW 1J5839462A
		Fitting Position	Rear Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2530	TrakMotive	Number of Doors	4	MERCEDES-BENZ A2047202479
		Fitting Position	Left Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Double Rail Window Lift	
25-2531	TrakMotive	Number of Doors	4	MERCEDES-BENZ A2047202579
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	with comfort function	
		Window Regulator	Double Rail Window Lift	
25-2608	TrakMotive	Number of Doors	4	HYUNDAI 824712B000
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
25-2609	TrakMotive	Number of Doors	4	HYUNDAI 824812B000
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2614	TrakMotive	Number of Doors	4	VW 3C1837461H
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
25-2615	TrakMotive	Packing unit	1	VW 3C1837462
		Quantity per packing unit	1	
		Status	Normal	
		Number of Doors	4	
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
25-2616	TrakMotive	Supplementary Article/Supplementary Info	without electric motor	VW 3C5839461J
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2617	TrakMotive	Number of Doors	4	VW 3C5839462
		Fitting Position	Rear Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2626	TrakMotive	Number of Doors	4	MERCEDES-BENZ A1697203179
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
25-2627	TrakMotive	Packing unit	1	MERCEDES-BENZ A1697203279
		Quantity per packing unit	1	
		Status	Normal	
		Number of Doors	4	
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
25-2630	TrakMotive	Supplementary Article/Supplementary Info	without electric motor	MAZDA GJ6A73590C
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	
25-2631	TrakMotive	Number of Doors	4	MAZDA GJ6A72590C
		Fitting Position	Rear Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
25-2631	TrakMotive	Packing unit	1	MAZDA GJ6A72590C
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
25-2633	TrakMotive	Number of Doors	4	MAZDA C23559590B
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
25-2634	TrakMotive	Number of Doors	4	MAZDA C23558590B
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
25-2636	TrakMotive	Number of Doors	4	TOYOTA 6980252080
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Cross-Arm Window Lift	
25-2637	TrakMotive	Number of Doors	4	TOYOTA 6980152080
		Fitting Position	Front Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	without electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Cross-Arm Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
		Status	Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
26-2134	TrakMotive	Number of Doors	4	TOYOTA 6981005040GR
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit Status	1 Normal	
26-2216	TrakMotive	Number of Doors	4	HONDA 72210-S10-A020
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	
		Window Regulator	Cross-Arm Window Lift	
		Packing unit	1	
		Quantity per packing unit Status	1 Normal	
26-2225	TrakMotive	Number of Doors	4	HYUNDAI 824014A000
		Fitting Position	Left Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit Status	1 Normal	
26-2226	TrakMotive	Number of Doors	4	HYUNDAI 824024A000
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit Status	1 Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
26-2241	TrakMotive	Number of Doors	4	JEEP 55360035AA
		Fitting Position	Left Rear	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
26-2242	TrakMotive	Status	Normal	
		Number of Doors	4	JEEP 55360034AA
		Fitting Position	Right Rear	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
26-2312	TrakMotive	Status	Normal	
		Number of Doors	4	SAAB 5184908
		Fitting Position	Right Rear	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			
26-2369	TrakMotive	Status	Normal	
		Number of Doors	2	HYUNDAI 824042C000
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
Quantity per packing unit	1			

Article number	Brand	Criteria	OE numbers	Comparable numbers
26-2407	TrakMotive	Number of Doors	2	
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	BMW 67626955876 MINI 51332756084
		Number of connectors	2	MINI 51337162164
		Window Regulator	Double Rail Window Lift	MINI 67626954276 MINI 67626955876
		Packing unit	1	
		Quantity per packing unit Status	1 Normal	
26-2408	TrakMotive	Number of Doors	2	
		Fitting Position	Left Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	VW 701837461A
		Number of connectors	2	VW 701837501F
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit Status	1 Normal	
26-2409	TrakMotive	Number of Doors	2	
		Fitting Position	Right Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	VW 701837462A
		Number of connectors	2	VW 701837502F
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit Status	1 Normal	
26-2410	TrakMotive	Number of Doors	4	
		Fitting Position	Rear Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Combi Switch Function	without comfort function	HONDA 72750-S5A-J010
		Window Regulator	Single Rail Window Lift	HONDA 72750S5DA05
		Number of pins	2	
		Packing unit Quantity per packing unit Status	1 1 Normal	

Article number	Brand	Criteria	OE numbers	Comparable numbers
26-2411	TrakMotive	Number of Doors	4	
		Fitting Position	Rear Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Combi Switch Function	without comfort function	FORD 1138204 FORD 1143005
		Window Regulator	Single Rail Window Lift	FORD 2M51A27001CC
		Number of pins	2	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
26-2412	TrakMotive	Number of Doors	4	
		Fitting Position	Rear Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Combi Switch Function	without comfort function	FORD 1138203 FORD 1143004
		Window Regulator	Single Rail Window Lift	FORD 2M51A27000CC
		Number of pins	2	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
26-2413	TrakMotive	Number of Doors	4	
		Fitting Position	Left Rear	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	JEEP 55076469AC
		Window Regulator	Single Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
26-2414	TrakMotive	Number of Doors	4	JEEP 55076468AC
		Fitting Position	Rear Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
		Number of pins	2	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
26-2419	TrakMotive	Number of Doors	4	JEEP 55360031AM
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Single Rail Window Lift	
		Number of pins	2	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
26-2421	TrakMotive	Number of Doors	2	BMW 51337039451 BMW 51337162163 BMW 67626955875 MINI 51332756083 MINI 51337039451 MINI 51337162163 MINI 67626954275 MINI 67626955875
		Fitting Position	Left Front	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Number of connectors	2	
		Window Regulator	Double Rail Window Lift	
		Packing unit	1	
		Quantity per packing unit	1	
Status	Normal			

Article number	Brand	Criteria	OE numbers	Comparable numbers
26-2435	TrakMotive	Number of Doors	4	CHRYSLER 4796307 CHRYSLER 4894537AA
		Fitting Position	Front Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Double Rail Window Lift	
		Number of pins	2	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
26-2449	TrakMotive	Number of Doors	4	LEXUS 6980433030
		Fitting Position	Rear Axle Left	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Cross-Arm Window Lift	
		Number of pins	2	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			
26-2450	TrakMotive	Number of Doors	4	LEXUS 6980333030
		Fitting Position	Rear Axle Right	
		Operating Mode	Electric	
		Supplementary Article/Supplementary Info	with electric motor	
		Combi Switch Function	without comfort function	
		Window Regulator	Cross-Arm Window Lift	
		Number of pins	2	
		Packing unit	1	
Quantity per packing unit	1			
Status	Normal			